

DIRECTIONS:

To control weeds in non-crop areas such as roadsides, fence rows, parking lots, and other similar areas, apply as follows:


~~Annual Weeds~~ - Apply by spraying 1 gallon RID-WEED (diluted with up to 10 gallons of water) per 150 to 200 square feet when plants are young. Thoroughly wet all areas of the plant.

Perennial Weeds - For best results treat plants during the spring or in their dormant stage. Summer applications are not recommended. RID-WEED would be applied at the ratio of 1 to 2 gallons per 100 square feet.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

USDA Reg. No. 603-28

MANUFACTURED BY CHEMTECH INDUSTRIES, INC.



ACCEPTED
APR 21 1972
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. UNDER NO. 603-28. SUBJECT TO ATTACHED COMMENTS.

CHEMTECH INDUSTRIES, INC.


ENVIRONMENTAL PRODUCTS & SERVICES
P. O. BOX 24440 • DALLAS, TEXAS 75224

RID WEED

Non-Flammable	Non-Selective
ACTIVE INGREDIENTS	
Sodium Chlorate	18.0%
Sodium Metaborate, Anhydrous	5.7%
INERT INGREDIENTS	
	76.3%
Total	100.0%

CAUTION! KEEP OUT OF THE REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

MANUFACTURED BY CHEMTECH INDUSTRIES, INC. • DALLAS, TEXAS • P. O. BOX 24440 • DALLAS, TEXAS 75224



**CHEMTECH
INDUSTRIES, INC.**
ENVIRONMENTAL PRODUCTS & SERVICES
P. O. BOX 24440 • DALLAS, TEXAS 75224

RID WEED

Non-Flammable	Non-Selective
ACTIVE INGREDIENTS	
Sodium Chlorate	18.0%
Sodium Metaborate, Anhydrous	5.7%
INERT INGREDIENTS	
	<u>76.3%</u>
Total	100.0%

**CAUTION! KEEP OUT OF THE REACH OF CHILDREN.
SEE BACK PANEL FOR ADDITIONAL CAUTIONS.**

NOTE:
This product is non-selective and will affect or kill all types of vegetation. Extreme care should be used in applying RID-WEED.

Due to the varied conditions of soil, weather, types of vegetation, location and time of year, the manufacturer does not guarantee a complete kill or accept any responsibility for its use or misuse.

CAUTION! Harmful if swallowed.
INTERNAL - If swallowed accidentally, give raw white of egg. Induce vomiting by giving a mixture of salt, soap or mustard in warm water. Call a Physician Immediately.
Avoid breathing of vapor. Avoid contact with skin or clothing.
EXTERNAL - Flush off immediately with lots of water. Scrub contaminated clothing. Avoid continuation of feed or foodstuffs.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Net Contents: _____ U. S. Gallons

ACCEPTED
APR 21 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
ECONOMIC POISON REGISTER
UNDER NO. 3-23 SUBJECT
ATTACHED COMMENTS.