


603-A

**CHEMCIDE**

Active Ingredients	By Wt.
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate . . . .	26%
Aromatic Petroleum Derivative Solvent . . . . .	63%
Inert Ingredients . . . . .	11%

A SPRAY CONCENTRATE FOR USE IN WATER OR OIL

CAUTION! KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS



FOR USE BY PEST CONTROL OPERATORS ONLY

DILUTION CHART

Store in cool, dry place.

Read entire label. Use strictly in accordance with label cautions, warnings and directions; <sup>†</sup> in conformity with federal and state regulations.

CHEMCIDE is a special formulation for use in either water or odorless kerosene oils. It is designed for use inside and outside of houses, apartments, hotels, motels, restaurants, institutions and other buildings.

DIRECTIONS

Note: For best results, water-diluted sprays should be used the same day, as mixed. Oil-diluted sprays may be used for several days after mixing.

Roaches (All species of Resistant and Non-resistant cockroaches, including german, brownbanded, oriental and american roaches): Use 5 fl. ozs. in 1 gallon water or 4 fl. ozs. in 1 gal. odorless kerosene or other suitable diluent. Apply as a fine stream or coarse spray into cracks, crevices, and other hiding places where insects can be contacted.

Clover Mites, Roaches, Earwigs and Leafhoppers - Outside dwelling and in Lawns: Use 1 fl. oz. in 1 gal. water. Apply to turf and to soil surfaces around flowers, shrubs and trees for general pest cleanup.

Manufactured by: Dixie ChemTech, Inc.  
2201 North Lamar, Dallas, Texas 75202  
AC 214 - RI-1-4466

Net Contents: \_\_\_\_\_

Recommendation	Amount CHEMCIDE to Use in:				
	1 Qt.	1 Gal.	5 Gal.	10 Gal.	50 Gal.
1 oz./gal. water	1 1/2 tps.	1 oz.	5 ozs.	10 ozs.	3 pts.
4 ozs./gal. oil	2 Tbs.	4 ozs.	1 1/4 pt.	2 1/2 pts.	1 1/2 gals.
5 ozs./gal. water	2 1/2 Tbs.	5 ozs.	1 pt. 9 oz.	3 pts. 2 oz.	2 gals.

Brown Dog Ticks: In and Around Kennels - 5 oz. to 2 gals. water or Kerosene. Apply as directed coarse, wet spray being especially careful to hit all cracks and crevices in floors, walls, and ceilings. Also spray outside runways. Repeat treatment in 7 days if continual tick activity is observed.

CAUTION: Concentrate may cause skin damage. Do not get on skin, eyes or clothing. May cause irritation of eyes, nose and throat. Use waterproof gloves and face shield or goggles when handling concentrate.

Harmful if swallowed. Avoid breathing spray mist. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Avoid contamination of feeds, food-stuff, drinking water, milk, milk handling equipment, and food processing machinery. Do not apply when plants are in operation or when foods are exposed. Do not spray surfaces which will come in contact with foods. Cover food containers. Keep out of reach of children. Do not use or store near heat or open flame. May corrode metal spray equipment. Wash equipment thoroughly after use. When container is empty, immediately wash thoroughly and destroy. Never re-use.

USDA Reg. No. \_\_\_\_\_