Jun 28 1967

UNDER THE PEDERAL MOSOBICIDE FOIDICIUS AND RODERFICIDE ACT PON ECONOMIC POISON REGISTER-THE DER NO. TO A FACHED COMMENTS.

DIRECTIONS

Use one quart to ten gallons of water; one gation to 40 gations of water. One quart makes enough for 200 square feet; one gallen for 800 square feet; five gallons for 4,000 square feet or more. Apply with sprinkler or watering-pot. Vessels used in applying must be thoroughly washed out after using, as the Weed Killer is a poison. If the ground is very dry, first wet with clear water, so the Weed Killer will not sink away too quickly. This Weed Killer kills Poison Ivy or Sumach, as well as ordinary weeds. For best results apply anytime when ground is not frozen. Not for lawns.

Do not re-use container. Dispose of by puncturing holes in both ends, and burying 18 inches deep in isolated area away from any body of water.

Avoid spillage on lawns, desirable plants, and shrubs, and any body of water. Keep children, livestock, or pets off spilled area until Weed Killer has been washed away.

This product is toxic to fish and wildlife.

Keep out of lakes, streams, and ponds.

NET CONTENTS 5 GALLONS HAMMONDS OTH CIAL AND INDUSTRIAL **USE** COR an Drivewars. Brickwalls, Paths. Parking Ameas, along Penses, Curbs rs, around Buildings and and Gutti under Gravelled Patienays where he plant growth is desired. Active Ingredients-Sodium POISON Arsenite---not less than 30.06% DANGER - Keep out of Inert Ingredients-69.94% not more than reach of children. See antidote and Total Arsenic, all in water soluble other warnings on side panels. form, expressed as metallic -not iess than 17.28% USDA REG. No. 004-17 WALKS-PATHS-TENNIS COURTS-DRIVEWAYS

RAMMOND PAINT & CHEMICAL CO.

NE WESTWOOD MASS





ANTIDOTE: Give 1 tablespeen of salt in a glass of warm water, and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salt or Milk of Magnesia in water, and plenty of milk and water. Have victim lie down and keep quiet. Call a physician immediately.

WARNING: Avoid skin contact and wash off thoroughly after exposure. If on clothing, remove them and wash. Avoid inhalation of spray mist. Avoid contact with eyes. Keep away from children, pets, livestock and foodstuffs. Avoid spraying vegetables, flowers, shrubs, or other desirable crops, as they may also be killed by the spray. Keep children, livestock, or pets off treated area until chemical or material has been washed from foliage or after rain.

Poisonous if swallowed.

Do not apply to soil underlaid with roots of desirable plants.

Do not use on stord ground the Home

24 1967 11. . INTER THE PEDERIAL INDUCTO THEIDE AND RETTENTICIDE A CONOMIC POLICIN REP STER DUR NOULAN SUBJECT - 40 HED LOMMENTE.

DIRECTIONS

Use one quart to ten gallons of water; one gallon to 40 gallons of water. One quart makes enough for 200 square feet; one gallon for 800 square feet; five gallons for 4,000 square feet or more. Apply with sprinkler or watering-pot. Vessels used in applying must be thoroughly washed out after using, as the Weed Killer is a poison. If the ground is very dry, first wet with clear water, so the Weed Killer will not sink away too quickly. This Weed Killer kills Poison Ivy or Sumach, as well as ordinary weeds. For best results apply anytime when ground is not frozen. Not for lawns.

Do not re-use container. Dispose of by puncturing holes in both ends, and burying 18 inches deep in isolated area away from any body of water.

Avoid spillage on lawns, desirable plants, and shrubs, and any budy of water. Keep children, livestock, or pets off spilled area until Weed Killer has been washed away.

This product is toxic to fish and wildlife.


Keep out of lakes, streams, and ponds.

NET CONTENTS

HAMMONDS

KILLS WEEDS, GRASS, AND POISON IVY FOR COMMERCIAL AND INDUSTRIAL USE

Use on Driveways, Brickwalls, Paths, Parking Areas, along Fences, Curbs and Gutters, around Buildings and under Gravelled Pathways where no plant growth is desired.



Active Ingredients-Sodium Arsenite-not less than 30.06% Inert Ingredients--69.94% not more than Total Arsenic, all in water soluble form, expressed as metallic 17.28°o -not less than

reach of children. See antidote and other warnings on side panels. USDA REG No. 604-17

WALKS-PATHS-TENNIS COURTS-DRIVEWAYS HAMMOND PAINT & CHEMICAL CO., INC., WESTWOOD, MASS 02090

5 GALLONS



🗶 POISON 😪

ANTIDOTE: Give 1 tablesprish of salt in a glass of warm water, and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salt or Milk of Magnesia in water, and plenty of milk and water. Have victim lie down and keep quiet. Call a physician immediately.

WARNING: Avoid skin contact and wash off thoroughly after exposure. If on clothing, remove them and wash. Avoid inhalation of spray mist. Avoid contact with eyes. Keep away from children, pets, livestock and foodstuffs. Avoid spraying vegetables, flowers, shrubs, or other desirable crops, as they may also be killed by the spray. Keep children, livestock, or pets off treated area until chemical or material has been washed from foliage or after rain.

Poisonous if swallowed.

Do not apply to soil underlaid with roots of desirable plants.

Do not use on star GROUND FAC HOMP