

DIRECTIONS

(Continued)

CURATIVE SCHEDULE: On diseased turfs use identical rates of application but reduce the time interval to 7 days until disease has been arrested.

Following PURATURE 177 treatment do not water greens for 24 hours. Delayed watering of turf produces more effective disease control.

COMPATIBILITY: PURATURE 177 may be used in combination with most standard insecticides for turf like DDT, lead arsenate, and chlordane. It may also be applied with fertilizers like urea, milorganite, soluble nitrogens, and combinations like 10-6-4, etc.

NOTE: PURATURE 177, as a powder or in solution, has no harmful effects on the skin. However, as a general precaution, avoid inhalation, and wash hands with water after handling. Keep PURATURE 177 away from foods and animals.

NOTICE TO BUYER

Recommendations of manufacturer for use of PURATURE 177 are predicated upon reliable tests. Seller does not guarantee results. Buyer assumes all risks, (injury or damage) of use whether in adherence to instructions or not.


Made in U. S. A.

PURATURE 177

TRADE MARK

A WETTABLE ORGANIC *Cadmium* FUNGICIDE FOR GOLF GREENS, LAWNS AND FINE TURFS

ACTIVE INGREDIENT PHENYL AMINO CADMIUM DILACTATE 20%
INERT INGREDIENT 80%



CONTENTS: 1 LB. MAKES 100 GALLONS OF SPRAY

DIRECTIONS

For the control of DOLLAR SPOT, COPPER SPOT, PINK PATCH of turfs, apply PURATURE 177 as a SPRAY or as a DRY MIX

SPRAY: Apply at rate of 1 lb. per 100 gallons of spray for treating 10-12,000 sq. ft. of turf. In preparation of 25 and 10 gallon sprays use proportionately less of the powder. Application can be made by power sprayer, barrel sprinkler or sprinkling can. Agitate the solution while spraying to prevent settling.

DRY MIX: For treating 1000 sq. ft. thoroughly mix 1 1/2 ozs. or 10 level tablespoonfuls of PURATURE 177 with 8 quarts of screened sand or top dressing. Distribute the mixture with a spreader or broadcast by hand evenly over the areas to be treated.

HOME USERS: 1 1/2 ozs. or 10 level tablespoonfuls mixed in 10 gallons of water for each 1000 sq. ft. Repeat treatment as soon as disease appears.


PREVENTIVE SCHEDULE: Control measures consist of applying PURATURE 177 at 10-day or 2-week intervals prior to appearance of disease and continuing the treatments through the season.

(See opposite panel for further directions)

PURATURE 177

A WETTABLE ORGANIC *Cadmium* FUNGICIDE FOR GOLF GREENS

ACTIVE INGREDIENT



GALLOWHURST
NEW

CONTENTS 1 LB.

3-28-67
605.2

COMPATIBILITY: PURATURF 177 may be used in combination with most standard insecticides for turf like DDT, lead arsenate, and chlor-dane. It may also be applied with fertilizers like urea, milorganite, soluble nitrogens, and combinations like 10-6-4, etc.

NOTE: PURATURF 177, as a powder or in solution, has no harmful effects on the skin. However, as a general precaution, avoid inhalation and wash hands with water after handling. Keep PURATURF 177 away from foods and animals.

NOTICE TO BUYER

Recommendations of manufacturer for use of PURATURF 177 are predicated upon reliable tests. Seller does not guarantee results. Buyers assume all risks (injury or damage) of use whether in adherence to instructions or not.

Made in U. S. A.

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: PHENYLAMINO CADMIUM DILACTATE 20%
INERT INGREDIENT: 80%



Manufactured for
GUARD CHEMICAL COMPANY
 Newark, New Jersey

CONTENTS 1 LB. MAKES 100 GALLONS OF SPRAY

power sprayer, barrel sprinker, or sprinkling can. Agitate the solution while spraying to prevent settling.

DRY MIX: For treating 1000 sq. ft. thoroughly mix 1 1/2 ozs. or 10 level tablespoonfuls of PURATURF 177 with 8 quarts of screened sand or top dressing. Distribute the mixture with a spreader or broadcast by hand evenly over the areas to be treated.


HOME USERS: 1 1/2 ozs. or 10 level tablespoonfuls mixed in 10 gallons of water for each 1000 sq. ft. Repeat treatment as soon as disease appears.

PREVENTIVE SCHEDULE: Control measures consist of applying PURATURF 177 at 10 day or 2-week intervals prior to appearance of disease and continuing the treatments through the season.

See opposite panel for further directions

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT:



GALLOWHUR
 NEW


CONTENTS 1 LB.

3-28-67
 605-2

TRADE MARK

WETTABLE ORGANIC *Cadmium* FUNGICIDE FOR GOLF GREENS, LAWNS AND FINE TURFS

ACTIVE INGREDIENT	PHENYL AMINO CADMIUM DILACTATE	20%
	INERT INGREDIENT	80%



per 100 gallons of spray for treating 10-12,000 sq. ft. of turf. In preparation of 25 and 10 gallon sprays use proportionately less of the powder. Application can be made by power sprayer, barrel sprinkler or sprinkling can. Agitate the solution while spraying to prevent settling.

DRY MIX: For treating 1000 sq. ft. thoroughly mix 1½ ozs. or 10 level tablespoonfuls of PURATURF 177 with 8 quarts of screened sand or top dressing. Distribute the mixture with a spreader or broadcast by hand evenly over the areas to be treated.

HOME USERS: 1½ ozs. or 10 level tablespoonfuls mixed in 10 gallons of water for each 1000 sq. ft. Repeat treatment as soon as disease appears.

PREVENTIVE SCHEDULE: Control measures consist of applying PURATURF 177 at 10-day or 2-week intervals prior to appearance of disease and continuing the treatments through the season.


(See opposite panel for further directions)

CONTENTS: 1 LB. MAKES 100 GALLONS OF SPRAY

TRADE MARK

A WETTABLE ORGANIC *Cadmium* FUNGICIDE FOR GOLF GREENS, LAWNS AND FINE TURFS

ACTIVE INGREDIENT	PHENYL AMINO CADMIUM DILACTATE	20%
	INERT INGREDIENT	80%



REGISTERED TRADE MARK OF GALLOWHUR CHEMICAL CORP.

Manufactured by

GALLOWHUR CHEMICAL CORP.
NEW YORK 17, N. Y.

CONTENTS: 1 LB. MAKES 100 GALLONS OF SPRAY

28-67
05-2