

Corn King

SULPHURIZED OIL

DIRECTIONS

Always keep the Sulphurized Oil in a hog ear or on a rubbing post so the hogs can treat themselves.

CAUTION: Avoid wetting hide of animals during treatment. Keep container closed. Harmful if swallowed. Avoid contact with skin.

Sulphurized Oil is best applied late in the afternoon to keep the treated animals from being blistered by the hot sun. White-haired animals should be kept out of the sun for 24 hours. During cold weather the Oil should be warmed indoors during the day and the animals kept inside for 24 hours.

Do not use in a hot container. Do not use perforating containers and do not use in a hot place.

Corn King

SULPHURIZED OIL

For Use In The Treatment Of

SARCOPTIC AND PSOROPTIC MANGE ON LIVESTOCK

Active Ingredients 100%

Sulphur 0.20% and Mineral Oil 99.80%

Caution: Keep out of reach of children. See other cautions on side panel.

Net Contents

1 Gallon

ACCEPTED

UNDER THE
FUNCTIONAL USE RULE
OR ECONOMIC POISON REGISTRATION
UNDER NO. 661-111

Manufactured by
THE CORN KING Division
KING CASTLE, Inc.
Marion, Iowa 52302

Corn King

SULPHURIZED OIL

DIRECTIONS

Corn King Sulphurized Oil should be applied when irritation and inflammation of the skin is not so acute that the animal is inapparent.

Apply as a spray or rub on a light mist. Avoid wetting the face of animals.

Old chronic cases will respond to treatment more readily if the scales and dried scabs are removed by scrubbing with a brush or rough towel with soap and warm water before applying the Sulphurized Oil.

HOUSES AND CATTLE: Apply Sulphurized Oil to the walls of houses and to the sides of cattle to prevent the spread of mange.

HOGS: Apply Sulphurized Oil to the sides of hogs to prevent the spread of mange.

Corn King

SULPHURIZED
OIL

Corn King

Corn King

SULPHURIZED
OIL

**SULPHURIZED
OIL**

SARCOPTIC AND PSOROPTIC
MANGE ON LIVESTOCK

Caution:

Net Contents

1 Gallon