

OCT 1 1990

~~655/S-385696~~
171

Ms. Gail M. Dixon
Prince Agri Products, Inc.
P.O. Box 1009
Quincy, IL 62306

Dear Ms. Dixon:

Subject: Coumaphos Registration Standard - 2nd Round Review -
Label Revision
Prince Animal Insecticide Shaker Duster (1% Coumaphos)
EPA Registration No. 606-105
Your Letter Dated October 11, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please be aware that our records indicate that you have not submitted an updated Confidential Statement of Formula per our request in both our October 3 and September 13, 1990 letters. Please submit this information as soon as possible.

Sincerely,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

10.A

292



PRINCE

Quality Guaranteed

Animal Insecticide

SHAKER DUSTER

CONTAINS CO-RAL[®]

For Control of Horn Flies & Lice on Beef & Dairy Cattle—As an Aid in Reducing Face Fly Population of Beef and Dairy Cattle—Control of Lice on Swine
Use in Dust Bag, Shaker Can, or Mechanical Dust Applicator.

ACTIVE INGREDIENT: COUMAPHOS (O,O-diethyl O-(3-chloro-4-methyl-2-oxo-2H-1-benzopyran-7-yl)phosphorothioate)* 1.0%
INERT INGREDIENTS: 99.0%
100.0%

*A Reg. TM of the parent company of Farbenfabriken Bayer GmbH, Leverkusen
*U.S. Patent No. 2,747,146

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention if victim displays signs of poisoning.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to Physician: Coumaphos is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

See side panel for precautionary statements

NET CONTENTS 12 X 2 POUNDS

Manufactured by:
PRINCE AGRI PRODUCTS, INC.
One Prince Plaza
Quincy, IL 62301

EPA Registration No. 606-105

EPA Est. No. 606-IL

ACQUITE
with COM. 7-15-77
in EPA Letter Dated:

DEC 7 1991

Under the Federal Insecticide, Fungicide, and Plant Nematicide Act, as amended, for the pesticide registered under EPA Reg. No. 606-105

DIRECT

It is a violation of Federal law to use labelling

BEEF & DAIRY CATTLE. Horn Flies in any commercially available dusts, cattle or in gateways or lanes through mineral feeders. For lactating dairy which cows leave the milking bars. At the bottom of the bag will hang four reduction of face flies, the bags must them daily and hung at a height to in Manage the dispenser bag so as not to

Horn Flies, Lice—Direct Application. shaker can over the head, neck, shoulders but not more often than every 14 days.
SWINE: Lice on Swine—Direct Application. a shaker can or suitable mechanical more often (than once every ten days).

Bedding Treatment. Apply 2 oz. per square feet of fresh, dry bedding by use applicator. Repeat as necessary, but in severe infestations both individuals directed above.

No interval is required between treatment use of milk as food.

*NOTE: 1 oz. of this material equals 1. RESTRICTIONS: For external, insect contamination of feed, troughs, water troughs while drinking. Persons treating with skin or inhalation of dust. Do not apply to sick, stressed animals. WARRANTY: THE MANUFACTURER'S IMPLIED, CONCERNING THE PRODUCT'S FITNESS FOR USE UNDER NORMAL CONDITIONS OF USE.

Lot No

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dusts. Avoid contact with eyes, skin, and clothing.

Do not contaminate feed or food. Keep out of reach of children.

If poisoning occurs, obtain prompt medical aid. Exposure will result in cholinesterase depression.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and aquatic invertebrates. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment wash-water or rinsate. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Prohibitions. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal. Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Plastic containers. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Bags. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

General. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.