
606-105

1000/ 4/2001





page 2 EPA Reg. No. 606-105

2. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures

# PRECAUTIONARY STATEMENTS CAUTION

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Do not breathe dust.

# PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS

Some materials that are chemical-resistant to this product are rubber or waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Applicators and other handlers must wear long-sleeved shirt and long pants, chemical-resistant gloves, shoes plus socks, chemical-resistant apron, a NIOSH-approved dust/mist respirator, with MSHA/NIOSH approval number prefix TC21C or a NIOSH-approved respirator with any N, R, P, or HE filter.

# USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENTRY RESTRICTIONS

Do not enter treated areas or allow contact with treated animals until dusts have settled.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to mammals, birds, fish and aquatic invertebrates. Coumaphos washed off of wading treated livestock may be hazardous to aquatic organisms. Do not contaminate water when disposing of equipment washwater or misate.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal,

**PESTICIDE STORAGE:** Store in safe manner. Store in original container only. Store in cool, dry place. Keep container tightly closed when not in use. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking and penetration of moisture.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary tandfill or by incineration, or, if allowed, by state and local authorities, by burning. If burned, stay out of smoke.



1ANER DUSIE

CONTAINS CO-RAL®

For Control of Horn Flies & Lice on Beef & Dairy Cattle--As An Aid in Reducing Face Fly Population of Beef and Dairy Cattle--Control of Lice on Swine. Use in Dust Bag or Shaker Can

ACTIVE INGREDIENT: COUMAPHOS*	1.0%
OTHER INGREDIENTS:	99.0%
TOTAL	100.0%

EPA Reg. No. 606-105

EPA Est. No. 606-IL-001

KEEP OUT OF REACH OF CHILDREN

# CAUTION

# USE ONLY AS DIRECTED

### FIRST AID

IF SWALLOWED	*Call a poison control center or doctor immediately for treatment advice. *Have person sip a glass of water if able to swallow. *Do not induce vomiting unless told to by a poison control center or doctor. *Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	*Take off contaminated clothing. *Rinse skin immediately with plenty of water for 15-20 minutes. *Call a poison control center or doctor for treatment advice.
IF IN EYES	*Hold eye open and rinse slowly and gently with water for 15-20 minutes. *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
	*Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	In case of ememory and tall (reg /B00), 858, 7978

In case of emergency call toll free (800)-858-7378 (The National Pesticide Telecommunications Network)

Have the product container or label with you when calling a poison control center or doctor or

### going for treatment.

Note to Physician: Cournaphos is an organophosphate insecticide and cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Telecommunications Network (800)-858-7378

> Manufactured by: PRINCE AGRI PRODUCTS, INC. ACCEPTED One Prince Plaza Delevitient States Dated

Quincy, IL 62301 Telephone: (217)-222-8854

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## **APPLICATION RESTRICTIONS**

Do not apply to sick, stressed, or convalescent animals.

Do not treat areas such as drinking cups, mangers, or troughs where livestock feed. Do not contaminate water, food, feed stuffs, food or feed handling equipment, or milk or meat handling equipment.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Individuals must limit the number of animals they can treat per day with shaker can to no more than 25 and the area of swine bedding area they can treat to 1,000 sq. ft.

The use of mechanical dusters is prohibited.

### **APPLICATION RATES**

BEEF & DAIRY CATTLE: Hom Flies, Lice, Face Flies--Place contents of this package in any commercially available dust bag. Suspend bags in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, feed, or minerals. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows, bags may be suspended in the exit through which cows leave the milking barn. In all cases the bags should be adjusted so that the bottom of the bag will hang four to six inches below the top-line of the cattle. For reduction of face flies, the bags must be located so the animals will be forced to use them daily and hung at a height to insure that the faces of the cattle will be dusted.

Horn Files, Lice-Direct Application. Apply 2.0 ounces of dust per animal by shaker can over the head, neck, shoulders, back and tailhead. Repeat as necessary.

SWINE: Lice on Swine—Direct Application. Apply not more than 1 oz. \*(3 level tablespoons) per head as a uniform coat to the head, shoulders, and back by use of a shaker can. Repeat as necessary, but not more often than once every ten days.

Bedding Treatment. Apply 2 oz. \*(6 level tablespoons) uniformly over each 30 square feet of fresh, dry bedding by use of a shaker can. Repeat as necessary but not more often than once every ten days.

In severe infestations both individual animals and the bedding may be treated as directed above.

No interval is required between treatment and slaughter or between treatment and use of milk as food.

\*NOTE: 1 oz. of this material equals approximately three level tablespoons.

### WARRANTY: THE MANUFACTURER MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, EXPRESS OR OTHERWISE IMPLIED, concerning this product or its use which extends beyond the use of the product under normal conditions in accord with the statements made on this label.

To the extent allowable by State law, any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

1101

A Reg. TM of the parent company of Farbenfabriken Bayer GmbH, Leverkusen
U.S. Palent No. 2,748,146

NET WT 24 lb (12 X 2 lb gans) the Federal Interticide 10.8 kg (12 X 0.9 kg can Standed, for the posterior registered and Rectaution the posterior

DFC - 4 2001

606-105