

ARBOLA
CCC Products

**CHLORDANE
DUST**

CAUTION

Keep out of reach
of children.

See side panel

for additional
required precautions.

**FOR
SOIL INSECTS
INCLUDING ANTS—**

**WIRE WORMS — CUTWORMS
ROOT MAGGOTS — CHINCH BUGS
LAWN MOTHS — WHITE GRUBS**

(INFESTING)

LAWNS — SOIL — GARDENS

NET WEIGHT 1 POUND

USDA Reg. No 607-23

Apply CCC-6 Chlordane Dust through the center top of the can
or with a desolator.

IN TROPICAL SOIL

To control cutworms, sowbugs, leaf-cutting ants, mole crickets on tomatoes, onions, melons, squash and cucumbers, dust liberally on the ground around the plants at the rate of 1 lb. per 300 sq. ft. Repeat often as necessary. Don't apply on soil around tomato plants later than 2 weeks after transplanting.

LAWNS

To control lawn ants, chiggers and chinch bugs, dust at the rate of 1 pound to 600 square feet. For sod webworm (lawn moth), white grubs and Japanese beetle grubs, dust at the rate of 1 pound per 300 square feet. Then water well with garden hose so that the material will get into nests, hills and living places. Repeat as often as necessary.

Keep children and pets off the treated areas until the insecticide has been washed into the soil and the treated areas have dried completely.

ANTS, BEETLES, COCKROACHES, CRICKETS, GRASSHOPPERS

ANTS, SILVERFISH, AMERICAN COCKROACHES: Apply liberally on all surfaces where insects run, including cracks and crevices, beneath drawers, cupboards, stoves, shelves, storage areas. It will take about one week before a marked reduction of roaches will be noticed. The treatment should be repeated every two weeks.

CAUTION

Avoid inhaling dust or mist from sprays. Avoid contact with eyes. In case of spillage on skin, wash with soap and water. Avoid contamination of feeds and foodstuffs. Do not use on plants growing in or around dairy buildings; or on animals being handled, milked, or on storage crops which will be fed to animals. Do not use on food plants after the edible parts begin to form. Do not use on green or spring onions.

IMPORTANT

Neither the manufacturer nor the other makes any warranty, expressed or implied, and shall not be held liable in any manner for any personal injury, property damage, or other financial loss resulting from the handling, storage, or use of this material, whether or not used in accordance with directions. The user assumes all liability for any loss or damage resulting from the use of this material on these conditions.

ON GARDEN SOIL

To control most maggots, beetles, crickets, ants, and other insects which injure plants, dust liberally on the ground around the plants at the rate of 1 lb. per 300 sq. ft. Repeat often as necessary. Don't apply on soil around tomato plants later than 2 weeks after transplanting.

GRASSHOPPERS:

To control grasshoppers on waste lands and grass, or within the garden, apply as a dust at the rate of 1-2 pounds per 1000 square feet. Apply only when grasshoppers are present and repeat applications as needed. Do not apply the material to leafy vegetables.

607-23
2-67