CAUTION: Keep out of reach of children.
See other panel for additional precautions.

NET WT. 50 LBS.

SPRAY-ON INTERIOR COATING



WHITE INTERIOR COATING
AND INSECTICIDE

1, 1973 1 44 601-44





KILLS FLIES AND

GIVES WALLS AND CEILINGS A BRIGHT, FLAT-WHITE FINISH
IN: DAIRY BARNS • POULTRY HOUSES • HOG PENS
ALL LIVESTOCK & POULTRY BUILDINGS • DOG : ENNELS
PIGEON LOFTS.

ACTIVE INGREDIENT:

RONNEL* [0, 0-Dimethyl O-(2, 4, 5-Trichlorophenyl)
Phosphorothioate] 0.50%
INERT INGREDIENTS: 99.50%
NET CONTENTS 100.00%
EPA Reg. No. 607-44

CARBOLA CHEMICAL COMPANY, INC.

NATURAL BRIDGE, N.Y. 13665 U.S.A.

Reg Trademark Dow Chemical Co. Printed in U.S.A. *O, O-Dimethyl O-(2, 4, 5-Trichlorophnenyi) Phosphorothicate
U.S. Patent No.2.599 516

CARBOLA

WHITE INTERIOR COATING AND INSECTICIDE for farm building interiors

BUILDING PREPARATION: Remove animals before application and do not return them until the spray has dried. Cover feeders and waterers. Clean down ceilings and walls, scrape floors and gutters, remove litter, nesting and bedding material—in order to insure maximum results.

MIXING INSTRUCTIONS: Mix 50 pounds with 17½ gallons of water, (15 gallons for previously untreated surfaces), until all lumps are removed. Carbola is then ready to use.

APPLY as a spray to ceilings, walls, stanchions, etc. 50 lbs. will cover 3,000 to 4,000 square feet depending on surface. Spray at not more than 200 lbs. pressure, using a fine (No. 4 or 5) nozzle.

FORCE Carbola into all cracks and crevices.

USE Carbola DRY in gutters and under new bedding and litter.

RESULTS! CARBOLA is a scientifically-formulated farm building insecticide spray that dries to a bright, flat white finish. This helps achieve thorough coverage of surfaces and makes inspection easier.

Carbola covers wood, stone, masonry and metal with a non-flaking, non peeling residue that kills and aids in control of flies — while allowing free passage of moisture vapors.

CONTAINS KORLAN* for aiding in fly control, in addition to coating, ALL IN ONE OPERATION!

Livestock and poultry may re-enter as soon as Carbola—treated premises have dried.

CAUTION: Harmful if swallowed. Avoid inhalation of spray mist. Keep away from edible food, drinking water and children. Avoid contact with skin, eyes and clothing. In event of such contact, wash thoroughly. Avoid contamination of feed and food stuffs.

DO NOT use Korlan* in milk houses.

Do not use on animals receiving organic phosphate treatment from any other source at the time of treatment.

This product is toxic to fish. Keep out of any body of water.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

Printed in U.S.A. *O, O-Dimethy! O-(2, 4, 5-Trichlorophnenyi) Phosphorothioate

CCEPTED WITH COMMENTS