

Twelve - 2 fl. oz.

Twelve-2 fl.oz.

canolene

ACCEPTED
 MAR 4 1976
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 622-11

canolene[®]

FOR DEMODECTIC AND SARCOPTIC MANGE IN DOGS

Directions: Massage into and around infested areas and repeat as directed by your veterinarian.

Caution—Humans: Wash hands thoroughly after using. Harmful if swallowed. If contacted by eye, wash with water for 10 minutes.



Caution: Use precautions to prevent contact with the eyes. If physical condition is poor treatment should first be applied only to a small portion of the body to determine tolerance. **DO NOT USE ON CATS (EXCEPT FOR EAR MITES) OR VERY YOUNG PUPPIES.**

Do not store near or contaminate feed or food stuffs.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

Comments



canolene

FOR DEMODECTIC AND SARCOPTIC MANGE IN DOGS

Directions: Apply to the skin of the dog...
Precautions: Avoid contact with eyes...
Caution—Humans: Avoid contact with...
Instructions: Apply to the skin of the dog...

Active Ingredients:

| | |
|--|---------------|
| Rotenone | 0.12% |
| Gamma isomer of benzene hexachloride (from lindane) | 0.10% |
| Inert ingredients | 99.78% |

CAUTION: Keep out of reach of children. Harmful if swallowed.
See precautions on the side panel.
Do not reuse container. Destroy when empty.
For Veterinary Use Only
EPA Reg. No. 622-11 EPA Est. 622-NB-1



20-6130-02

Twelve—2 fl. oz.


canolene[™]

The combination of ingredients in 'Canolene' makes it effective for treatment of mange in dogs and for ear mites in dogs and cats. Its special base penetrates encrusted areas and soothes and softens the skin.

Since demodectic (follicular mange, red mange) is difficult to diagnose and often requires prolonged treatment and attention to additional factors, treatment of this condition should be made by or under the direction of a veterinarian.

Lot No.


Norden Laboratories, Inc., Lincoln, Nebr. 68501, U.S.A.



Twelve-2 fl.oz.

canolene[®]

FOR DEMODECTIC AND SARCOPTIC MANGE IN DOGS



canolene

FOR THE TREATMENT OF ANIMALS

Active Ingredients:

| | |
|--|---------------|
| Rotenone | 0.12% |
| Gamma isomer of benzene hexachloride (from lindane) | 0.10% |
| Inert ingredients | 99.78% |

CAUTION: Keep out of reach of children. Harmful if swallowed.

See precautions on the side panel.

Do not reuse container. Destroy when empty.

For Veterinary Use Only

EPA Reg. No. 622-11


EPA Est. 622-NB-1

 **NORDEN**
LABORATORIES

One gallon
3.875L

canolene®

For demodectic and sarcoptic mange in dogs



MAR 4 1976
One pint
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
canolene

For demodectic and sarcoptic mange in dogs



Directions Thoroughly massage Canolene into and around the infested areas. Repeat treatment every 6 to 7 days as required. If condition is generalized, treat one third to one half the body one day and finish within the next one or two days. Long-haired dogs should be clipped, bathed and dried before starting treatment. When treatment is discontinued, bathe animal and apply a mild dressing powder once daily. Since demodectic mange, follicular mange, red mange is difficult to diagnose and often requires prolonged treatment and attention to additional factors, treatment of this condition should be made by or under the direction of a veterinarian.

FOR EAR MITES Apply several drops Canolene to the ear. Repeat in 6 to 7 days as required. To prevent reinfestation, strict sanitary measures should be observed at all times such as isolation, cleaning and disinfecting premises, especially beds and kennels.

Caution—Humans Wash hands thoroughly after using. Harmful if swallowed. If contacted by eye, wash with water for 15 minutes.

Caution Use precautions to prevent contact with the eyes. If physical condition is poor, treatment should first be applied only to a small portion of the body to determine tolerance. **DO NOT USE ON CATS EXCEPT FOR EAR MITES OR VERY YOUNG PUPPIES.**

Do not store near or contaminate feed or food stuffs.
Do not contaminate water by cleaning of equipment or disposal of wastes.
Apply this product only as specified on this label.
EPA Reg. No. 105-100000-0100

Morden Laboratories, Inc., Lincoln, Nebraska 68502 U.S.A.

Directions Thoroughly massage Canolene into and around the infested areas. Repeat treatment every 6 to 7 days as required. If condition is generalized, treat one third to one half the body one day and finish within the next one or two days. Long-haired dogs should be clipped, bathed and dried before starting treatment. When treatment is discontinued, bathe animal and apply a mild dressing powder once daily. Since demodectic mange, follicular mange, red mange is difficult to diagnose and often requires prolonged treatment and attention to additional factors, treatment of this condition should be made by or under the direction of a veterinarian.

FOR EAR MITES Apply several drops Canolene to the ear. Repeat in 6 to 7 days as required. To prevent reinfestation, strict sanitary measures should be observed at all times such as isolation, cleaning and disinfecting premises, especially beds and kennels.

Caution—Humans Wash hands thoroughly after using. Harmful if swallowed. If contacted by eye, wash with water for 15 minutes.


Caution Use precautions to prevent contact with the eyes. If physical condition is poor, treatment should first be applied only to a small portion of the body to determine tolerance. **DO NOT USE ON CATS EXCEPT FOR EAR MITES OR VERY YOUNG PUPPIES.**

Do not store near or contaminate feed or food stuffs.
Do not contaminate water by cleaning of equipment or disposal of wastes.
Apply this product only as specified on this label.
EPA Reg. No. 105-100000-0100

Morden Laboratories, Inc., Lincoln, Nebraska 68502 U.S.A.

ACCEPTED WITH COMMENTS

ACCEPTED
MAR 10 1976
EPA Reg. No. 105-100000-0100



For demodectic and sarcoptic mange in dogs

canolene

One gallon
3.785L

canolene

Indications: For the effective treatment of sarcoptic and demodectic mites in dogs and cats

Active ingredients

Rotenone 0.12%
Gamma isomer of benzene hexachloride (from lindane) 0.10%
Inert ingredients 99.78%

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

See other precautions on side panel

Do not reuse container. Destroy when empty

For Veterinary Use Only

EPA Reg. No. 622-11



canolene

Indications: For the effective treatment of sarcoptic and demodectic mites in dogs and cats

Active ingredients

Rotenone 0.12%
Gamma isomer of benzene hexachloride (from lindane) 0.10%
Inert ingredients 99.78%

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

See other precautions on side panel

Do not reuse container. Destroy when empty

For Veterinary Use Only

EPA Reg. No. 622-11



Indications: For the effective treatment of sarcoptic and demodectic mites in dogs and cats

Since demodectic mange (follicular mange/red mange) is difficult to diagnose and often requires prolonged treatment and attention to additional factors, treatment of this condition should be made only or under the direction of a veterinarian

Active ingredients

Rotenone 0.12%
Gamma isomer of benzene hexachloride (from lindane) 0.10%
Inert ingredients 99.78%

Inert ingredients

Caution—Humans: Wash hands thoroughly after using. Harmful if swallowed. If contacted by eye, wash with water for 15 minutes.

Caution: Use precautions to prevent contact with the eyes. If physical condition is poor, treatment should first be applied only to a small portion of the body to determine tolerance. **DO NOT USE ON CATS (EXCEPT FOR EAR MITES) OR VERY YOUNG PUPPIES.**

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

Do not store near or contaminate food or food stuffs

Do not reuse container. Destroy when empty

Do not contaminate water by cleaning of equipment or disposal of wastes

Apply this product only as specified on this label

EPA Reg. No. 622-11 EPA Est. 622-NB-1

For Veterinary Use Only Lot N

Norden Laboratories Lincoln, Nebr. 68501 U.S.A.

