



**DEDICATED TO DEPENDABILITY
SINCE 1913**

The directions for use of this product in animal areas:

Remove all animals and feeds from premises, cars, trucks, coops and crates.

Remove all litter and droppings from floors, walls, surfaces of facilities and fixtures traversed or occupied by animals.

Empty all troughs, racks and other feeding and watering appliances.

Saturate all surfaces with disinfectant solution.

Immerse all forks, shovels and scrapers.

Ventilate buildings, cars, boats, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

USE DIRECTIONS:

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

Sanitization

If used for sanitization of previously cleaned surfaces, limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons). **NO RINSE REQUIRED AT THIS LEVEL.**

For heavy soil or organic matter, a pre-cleaning step is recommended.

"This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses."



VETER-SAN

**CLEANER DISINFECTANT
DEODORIZER FUNGICIDE**

Designed for veterinary, hospital and field use

Phenol Coefficients:	Guaranteed	Minimum
	<i>S. aureus</i>	42
	<i>S. typhosa</i>	27

ACTIVE INGREDIENTS:

n-Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (C ₁₂ 68%, C ₁₄ 32%,) Dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
INERT INGREDIENTS	92.50%
	<u>100.00%</u>

Rinse empty container thoroughly with water and discard.

DANGER: Keep Out of Reach of Children. See right side panel for additional precautionary statements.

VETER-SAN sanitizer provides effective disinfection of kennels, examination rooms, and recovery areas in hospitals and field use.

DANGER: Keep Out of Reach of Children. Causes eye irritation. Do not get in eyes. Protect eyes from contact with product. Harmful if swallowed.



VETER-SAN

CLEANER DISINFECTANT
DEODORIZER FUNGICIDE

Designed for veterinary, hospital and field use

Phenol Coefficients:	Guaranteed	Minimum
	S. aureus	42
	S. typhosa	27

ACTIVE INGREDIENTS:

n-Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (C ₁₂ 68%, C ₁₄ 32%,) Dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
INERT INGREDIENTS	92.50%
	100.00%

Rinse empty container thoroughly with water and discard.

DANGER: Keep Out of Reach of Children. See right side panel for additional precautionary statements.

VETER-SAN is a cleaner, disinfectant and sanitizer designed for veterinary use. Provides effective disinfection, sanitization and fungicidal control on hard surface areas in operating rooms, waiting rooms, recovery and boarding areas and outside kennels. Use as directed on floors, walls, examining tables, sinks, benches and in run and cage areas.

DANGER:

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling product. Harmful if swallowed. Avoid contamination of food.

Manufactured and Distributed by:
UNITED CHEMICAL COMPANY, INC.

OFFICE AND PLANT: 5050 East 52nd Street
Kansas City, Mo. 64130
(816) 921-5050

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET VOLUME: 1 gallon. EPA REG. No. 623-37
EPA EST. 623-MO-01