

#### **Cold Disinfection**

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ounce per gallon of water for 10 minutes.

# FOR ROOM FOGGING

#### **DIRECTIONS:**

To minimize the danger of cross-contamination from environmental surfaces apply solution as a fog described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount BURGESS MODEL NO. 1601 MISTER or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed

surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

#### **DANGER**

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

### **FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

#### **NOTE TO PHYSICIAN:**

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and dispard.



# PINE ODOR DISIRFECTANT

# DISINFECTANT • DEODORIZER • SANITIZER PHENOL COEFFICIENTS:

S. Aureus	92
S. Typhosa	
ACTIVE INGREDIENTS	
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl	
ethylbenzyl ammonium chlorides	. 5%
Isopropyl Alcohol	
Essential Oils	
INERT INGREDIENTS:	
	100%

Pine Odor Disinfectant is a concentrate and should be diluted before using.

NET CONTENTS: \_\_\_\_\_ EPA Reg. No. 623-39 EPA EST. 623-MO-01

# DANGER KEEP OUT OF REACH OF CHILDREN

(See other precautionary and first aid statements on left side panel.)

# USE DIRE

### Household

For sanitizing inanimate had Locker Roon ridors, Class Apply solution ounce to 4 ounces to 5 cus aureus heavily soile cleaning step

## Hospitals

For floors, wasing Homes, Garbage Pail at 3½ ounce cloth, mop, Disinfectan Pseudomona soiled or costep is recor

TICLE BE ACT

ering room equipment g use.

Corrosive.
Do not get
t eyes and
larmful if
ood.

th eyes or 5 minutes. Id wash all lif swallow-ution, or if rantities of

raindicate gainst cirn and con-

with water



# PINE ODOR DISINFECTANT

DISINFECTANT • DEODORIZER • SANITIZER PHENOL COEFFICIENTS:

i illinge coel i lolento.	
S. Aureus	92
S. Typhosa	60
ACTIVE INGREDIENTS	
n-Alkyl (60% C14 30% C16 5% C12 5% C18)	
dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl	
ethylbenzyl ammonium chlorides	5%
Isopropyl Alcohol	2%
Essential Oils	1%
INERT INGREDIENTS:	<b>87</b> %
	100%
D: 01 D::(	

Pine Odor Disinfectant is a concentrate and should be diluted before using.

NET CONTENTS: \_\_\_\_\_ EPA Reg. No. 623-39 EPA EST. 623-MO-01

# DANGER KEEP OUT OF REACH OF CHILDREN

(See other precautionary and first aid statements on left side panel.)

Manufactured and Distributed by:

## UNITED CHEMICAL COMPANY, INC.

OFFICE AND PLANT: 5050 East 52nd Street Kansas City, Mo. 64130 (816) 921-5050

#### **USE DIRECTIONS:**

#### Household

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce to 4 gallons of water. Disinfect with 3 ounces to 5 gallons of water. Kills Staphlyococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a precleaning step is recommended.

## Hospitals

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use at 3½ ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level Pine Odor Disinfectant will be effective against Pseudomonas aeruainosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A<sup>2</sup>, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

IF THIS PRODUCT
IS USED TO TREAT
FOOD PROCESSING
EQUIPMENT OR
FOOD UTENSILS,
FOOD CONTACT SURFACES
MUST BE SCRUBBED WITH
DETERGENT AND RINSED
WITH POTABLE WATER
PRIOR TO PE-USE.