

E-Z FLO COPPER, THIODAN® 7-3 DUST

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN

See other Precautions on the back/side panel.

ACTIVE INGREDIENTS:

Endosulfan (Hexachlorohexahydromethano- 2,4,3-benzodioxathiepin oxide)	3.0%
Tribasic Copper Sulfate (expressed as metallic)	7.0%

INERT INGREDIENTS:	90.0%
	<hr/>
	100.0%

Endosulfan is a registered trademark of Canadian Hoechst Limited.
Patent No. 2,799,665

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

GENERAL INFORMATION

This dust formulation controls certain insects and diseases on potatoes and tomatoes. Its general application should be made at 7 to 14 day intervals depending on weather conditions and the severity of insect or disease problems.

Weather and other conditions may affect the value of this product. Contact your State Agricultural Experiment Station for additional information and to request a copy of the label. Do not use this product if the label directions are not applicable to your area and crop.

DIRECTIONS FOR USE

Use E-Z Flo for control of aphids, Colorado potato beetle, flea beetle, leafhopper, leaf miner, whitefly, green stink bug, blister beetle, early and late blight. Begin dusting before diseases appear. Apply 30 to 33 pounds per acre. Repeat applications within 7 day

DIRECTIONS FOR USE

POTATOES: For control of aphids, Colorado potato beetle, leafhopper, flea beetle, southern armyworm, green stink bug, leaf-footed plant bugs, potato tuberworms, whitefly, early and late blight: Apply this dust at the rate of 30 to 33 pounds per acre at 7 to 14 day intervals, depending on weather conditions and insect and disease incidence. Under conditions which favor blight development, more frequent applications are required than during dry, hot weather. Begin dusting soon after potato plants show above ground; continue throughout the growing season. Thorough coverage is important. Do not plant root crops other than carrots, potatoes and sweet potatoes as follow-up crops.

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. Wash thoroughly after handling. Do not take internally. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Avoid contamination of feed and foodstuff.

ENVIRONMENTAL CAUTIONS: This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on the label.

This product is not to be used on crops which are applied with an aerial application system.