

E-Z FLO METHYL PARATHION 4E

(Contains 4 Lbs. Methyl Parathion Per Gal.)

DANGER:
KEEP OUT OF THE REACH OF CHILDREN

See Side Panel for Additional Warnings and Antidote Statements



POISON



ACTIVE INGREDIENTS:
0,0-dimethyl 0-p-nitrophenyl thiophosphate
Xylene
INERT INGREDIENTS:

The manufacturer makes no warranty, express or implied, as to the use of this product, which extend beyond the description of the label. A state health department may require this product apply only when used as directed.

SOLD BY
E-Z FLO CHEMICAL COMPANY
DIVISION OF GROWER SERVICE CORPORATION

ABERDEEN, NORTH CAROLINA COLUMBUS, OHIO LANSING, MICHIGAN

53-263-871 U.S.A. Reg. No. 635-295

DIRECTIONS FOR USE

For airplane application, use 3-10 gallons of water per acre, consistent with crop growth and good coverage.

COTTON INSECTS:

SEEDLING STAGE: Thrips, Aphids — Use 1/2 pint per acre per 2 or 3 applications at weekly intervals when first two leaves spread.

BEGINNING OF SQUARING AND MAJOR FRUITING SEASON: Boll Weevil, Aphid, Cotton Leafworm, Flea Hoppers, Plant Bugs, Lygus Bugs — Use 1/2 pint to 1 pint per acre at 4 to 5 day intervals until insects are under control or top bolls are fully grown. During periods of heavy Boll Weevil migration make applications every 3 days. For Cabbage Looper control — Use 1 qt. per acre. **DO NOT APPLY WITHIN 5 DAYS OF HAND PICKING.** Workers entering fields within 24 hours after application should wear protective clothing.

ALFALFA: Two Spotted Aphid — Apply 1/2 to 3/4 pt. per acre. Alfalfa Weevil Larvae and Adults — Apply 1 pt. per acre when buds and shoots first appear ragged or when larval count reaches 25 per sweep. Workers entering fields within 24 hours after application should wear protective clothing. Do not apply within 15 days of harvest.

WHEAT, OATS, BARLEY: Aphids — Use 1/2 to 3/4 pint per acre. Do not apply within 15 days of harvest. Workers entering fields within 24 hours after application should wear protective clothing.

DESTROY CONTAINER WHEN EMPTY NEVER RE-USE.

WARNING

Flammable liquid. Swallowing, inhaling, or absorbing through skin. Wash hands, arms and face with soap and water after handling and before eating or smoking.

Keep away from children. Do not get in eyes. If in eyes, flush with plenty of water. If on skin, wash with plenty of water. If on clothing, remove and wash with plenty of water. Do not use in areas where children play. Do not use in areas where food is stored. Do not use in areas where people enter. Do not use in areas where people work.

SYMPTOMS OF POISONING: Headache, dizziness, nausea, vomiting, diarrhea, sweating, weakness, and loss of consciousness.

ANTIDOTE IF SWALLOWED: Do not induce vomiting. Give 1-2 glasses of water. If unconscious, give water by mouth. Call a physician immediately.

ANTIDOTE IF ON SKIN: Wash immediately with soap and water.

NOTE TO PHYSICIAN: Methyl Parathion is a highly toxic insecticide. It is a cholinesterase inhibitor. Atropine is the specific antidote and may be administered in large doses with atropine. Never give morphine.

USE PRECAUTIONS

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use on sorghum. Do not apply or allow to drift where dairy animals or animals being finished for slaughter may be grazing. Do not apply within 5 days of hand picking. Workers entering fields within 24 hours after application should wear protective clothing.

CAUTION: Do not use or store near heat or open flame.

Rinse equipment and containers and dispose of wastes and spillage by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes away from drinking water and smoke.