

DANGER

... ..

Keep all unprotected persons and children away from treated areas until the label directions are followed. Do not rub eyes or mouth with hands. If you feel sick in any way, stop work and get help right away. Call a doctor (physician, veterinarian, or other qualified person) if you have been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Wash hands, face, and neck with soap and water before smoking, eating or drinking. After use (EPA), take off all work clothes and shoes. Shower, wash, soap, and water. Wash in clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Breathlessness, nausea, vomiting, diarrhea, muscle twitching, weakness, dizziness, headache, blurred vision, and loss of coordination. If it is swallowed, it will enter the body and act with the poison. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms include: Headache, nausea, vomiting, diarrhea, muscle twitching, weakness, dizziness, blurred vision, loss of coordination, fainting, labored breathing, nervousness, sweating, watering of eyes, swelling of mouth and face, muscle spasms, and more.

FIRST AID TREATMENT

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..



RESTRICTED USE PESTICIDE
 For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



METHYL PARATHION 4E
 (Contains 4 lbs. Methyl Parathion Per Gal.)

DANGER: Keep Out Of Reach Of Children
See Side Panels for Antidote & Precautions

ACTIVE INGREDIENTS:

0,0-dimethyl 0-p-nitrophenyl thiophosphate.....	45.46%
Xylene.....	37.12%
INERT INGREDIENTS.....	17.42%
	100.00%

ACCEPTED
 APR 12 1979
 635-295
 POISON



DANGER-POISON-PRECAUTIONS

POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

POISONOUS IF BREATHED

Sold by
 EPA Reg. No. 635-295
 EPA Est. No. 635-CH-1
 Lansing, Michigan 48901

RESTRICTED USE PESTICIDE
 For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



METHYL PARATHION 4E

(Contains 4 lbs. Methyl Parathion Per Gal.)

DANGER: Keep Out Of Reach Of Children
See Side Panels for Antidote & Precautions

ACTIVE INGREDIENTS:

0,0-dimethyl 0-p-nitrophenyl	
thiophosphate.....	45.46%
Xylene.....	37.12%
INERT INGREDIENTS:	17.42%
	100.00%

EPTED
 12 1979
 Fetal Insecticide,
 Resistant Act,
 & the pesticide
 635-245



DANGER-POISON-PRECAUTIONS

POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

POISONOUS IF BREATHED

Sold by
 Lansing, Michigan 48901

USE PRECAUTIONS

Do not use in areas where the treated areas may be frequented by children or other persons. Do not use in areas treated with this pesticide in which livestock or other animals are kept or where water is used for drinking purposes.

Do not use in areas where the treated areas may be frequented by children or other persons. Do not use in areas treated with this pesticide in which livestock or other animals are kept or where water is used for drinking purposes.

Do not use in areas where the treated areas may be frequented by children or other persons. Do not use in areas treated with this pesticide in which livestock or other animals are kept or where water is used for drinking purposes.

Do not use in areas where the treated areas may be frequented by children or other persons. Do not use in areas treated with this pesticide in which livestock or other animals are kept or where water is used for drinking purposes.

DIRECTIONS FOR USE

For foliar application, use 3-10 gallons of water per acre, consistent with the crop and good coverage.

For soil application, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on fruit trees, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on ornamental plants, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on lawns, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on golf courses, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on tennis courts, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on baseball fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on softball fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on soccer fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on football fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on basketball courts, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on tennis courts, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on baseball fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on softball fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on soccer fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.

For use on football fields, use 1-2 gallons of water per acre, consistent with the crop and good coverage.