

E-Z FLO SEVIN* 7.5 DUST

DIRECTIONS FOR USE

CAUTION:
KEEP OUT OF THE REACH OF CHILDREN

FOR THE CONTROL OF INSECTS ON COTTON

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)..... 7.5%

INERT INGREDIENTS: 92.5%

100.0%

U. S. Pat. No. 2,903,478

*Trade Mark of Union Carbide Corporation for Carbaryl insecticide.

Net Contents and Manufacturer
On Container

COTTON:

For control of early-season thrips and cotton fleahopper: Apply 7 to 15 pounds of 7½% Sevin Dust per acre on appearance of insects.

For control of mid- and late-season boll weevil, bollworm, pink bollworm, cotton leafworm, Lygus bugs, and cotton leaf perforator: Apply 20 to 28 pounds of 7½% Sevin Dust per acre at from five to seven day intervals on appearance of insects.

ACCEPTED
Aug 31, 1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 635-322

CAUTION

Harmful if inhaled or swallowed. Do not take internally. Avoid breathing of dust. Skin contact may be harmful. Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeve work clothing. Change to clean clothing daily. Avoid storage near feed and food products.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, Cholinesterase inhibitor, Atropine is antidotal.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.