

E-Z FLO TOBACCO FORMULA G-3

(CONTAINS 3% GUTHION*)

DANGER:
KEEP OUT OF THE REACH OF CHILDREN



POISON



ACTIVE INGREDIENTS:	By Wt.
O, O-Dimethyl S-(4-oxo-1, 2, 3-benzotriazin-3 (4H)-ylmethyl] phosphorodithioate**	3.0%
INERT INGREDIENTS:	97.0%
	100.0%

*Reg. U. S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corp. licensee
 **U. S. Patent No. 2,758,115 Canadian Patent No. 552,660

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

TOBACCO FORMULA G-3 is formulated on a non-alkaline, sterilized tobacco base carrier. It is compounded especially for use on tobacco for the control of aphids, flea beetle, tobacco hornworm and tobacco podworm.

DIRECTIONS FOR USE

For the control of aphids, tobacco flea beetle, tobacco budworm and tobacco hornworm, apply 25 lbs. per acre. Direct dust so as to obtain maximum coverage of the plant, and particularly the bud for aphid and budworm control. Begin applications immediately following transplanting and continue at seven-day intervals. Do not apply within 6 days of harvest. Prime before treating.

CONTAINER DISPOSAL

Do NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn all empty bags, fiber drums, cartons and/or boxes

04-6

ACCEPTED

Jul 24, 1970

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PROTECTION

53-263 684

completely and stay out of smoke. Bury ashes and residues where residual toxic metals (i.e. arsenicals) are concerned.

RESTRICTIONS

Do not use on other crops used for food or forage. Do not graze livestock in treated areas for 21 days after treatment. Use only according to label directions. Application at rates above those shown may result in illegal crop residues.

Highly toxic to fish and wildlife. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING

Poisonous if swallowed, inhaled, or absorbed through skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for guthion protection. Keep all unprotected persons out of operating area or vicinity where there may be danger of drift. Vacated areas should not be reentered for at least two days. Do not store near food and food products. Wash hands, arms and face thoroughly with soap and water after use. Do not use in or near buildings. Wash all contaminated clothing with soap and water before reuse.

SYMPTOMS OF POISONING: Anorexia, vomiting, diarrhea, weakness, dizziness, headache, and blurred vision.

TO PHYSICIAN

Give patient 100 cc. of 1% solution of sodium bicarbonate in water. Repeat every 4 hours until symptoms subside.

U.S.D.A. Reg. No. 635-361

ACCEPTED WITH COMMENTS

NET CONTENTS 50 POUNDS

E-Z FLO TOBACCO FORMULA G-3

(CONTAINS 3% GUTHION*)

DANGER

KEEP OFF OF THE REACH OF CHILDREN



POISON



POISON

ACTIVE INGREDIENTS:

O, O-Dimethyl S-(4-oxo-1, 2, 3-benzotriazin-3
(4H)-ylmethyl) phosphorodithioate**

By Wt.

3.0%

INERT INGREDIENTS:

97.0%

100.0%

*Reg. U. S. and Canadian Pat. Offs. by Farbenfabriken Bayer
A.G., Chemagro Corp. licensee

**U. S. Patent No. 2,758,115 Canadian Patent No. 552,660

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

TOBACCO FORMULA G-3 is formulated on a non-aqueous esterized tobacco base carrier. It is compounded especially for use on tobacco for the control of aphids, flea beetle, tobacco horn worm and tobacco budworm.

DIRECTIONS FOR USE

For the control of aphids, tobacco flea beetle, tobacco horn worm and tobacco budworm, apply this product to the tobacco plants in the early stages of the infestation and particularly to the tobacco plants in the control. Begin applications immediately after the first appearance of the pest and repeat applications as necessary with the same product. Do not re-treat.

CONTAINER DISPOSAL

Do not reuse this product. Empty containers should be disposed of by the manufacturer. Do not use this product for any other purpose. Do not use this product for any other purpose.

ACCOUNT

DATE

SIGNATURE

Complete and stay out of smoke. Do not use in areas where residual toxic metals (i.e. arsenicals) are concerned.

RESTRICTIONS

Do not use on other crops used for food or forage. Do not graze livestock in treated area for 21 days after treatment. Use only according to label directions. Application at rates above those shown may result in illegal crop residues.

Highly toxic to fish and wildlife. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes and containers.

This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING

AMERICAN WHITE CHOCOLATE