

ACCEPTED
 APR 28 1971
 FEDERAL INSECTICIDE
 REGULATORY ACT
 POISON REGISTERED

635-373
 Comments

E-Z FLO TOBACCO FORMULA 2-3

CONTAINS 2% PARATHION AND 3% THIODAN® (ENDOSULFAN)

DANGER:
 KEEP OUT OF THE REACH OF CHILDREN



POISON



POISON

ACTIVE INGREDIENTS:

Parathion* 2.0%
 Endosulfan** 3.0%

INERT INGREDIENTS: 95%

*O, O-Diethyl O-p-nitrophenyl thiophosphate 100.0%
 **Hexachlorohexahydromethano-2, 4, 3-benzodioxathiepin Oxide
 *Thiodan is a registered trademark of Canadian Hoechst Limited.
 U. S. Patent No. 2,799,685.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

This "Tobacco Formula" Dust is formulated on a non-alkaline, sterilized tobacco base carrier. It is compounded especially for use on tobacco for the control of Aphids, Budworms, Cabbage Loopers, Hornworms, Cutworms, Vegetable Weevils, and certain other insects.

CAUTION: Do not apply this product to tobacco beds with shaker cans or cloth bags. Applications in the field should be made with power dusting equipment only.

CAUTION: No application should be made within 5 days of priming tobacco or 15 days of cutting. Avoid plant juices coming in contact with the skin of those persons engaged in cutting or priming the crop.

DIRECTIONS FOR USE

Insect	Dosage per acre or as otherwise indicated	When and where to apply	Safety Restrictions
IN PLANT BED			
Aphids and vegetable weevils	0.4-0.5 lb. 100 sq. yds.	On foliage at seven-day intervals beginning three weeks prior to transplanting for aphids or as needed for vegetable weevils.	Do not apply parathion within 5 days before transplanting. Should be applied only by a trained operator.
Cutworms			
Garden Slugs and pillbugs	0.4-0.5 lb. 100 sq. yds.	These pests hide under boards, wall flaps and under debris in the plant bed. Applications should be directed at hiding places as needed.	

Insect	Dosage per acre or as otherwise indicated	When and where to apply	Safety Restrictions
IN FIELD OR SHADE			
Aphids, Budworms, Hornworms, and cabbage loopers	20-25 lb.	On foliage at seven-day intervals beginning immediately following transplanting and continuing to end of priming season. Direct dust so as to obtain maximum coverage of the plant and particularly the bud for aphid and budworm control.	Should be applied only by a trained operator.
Cutworms	18-21 lbs.	Apply directly following transplanting.	

DANGER

KEEP AWAY FROM CHILDREN, domestic animals, birds and reptiles. Do not get in eyes or on face. Extremely hazardous if swallowed, inhaled or absorbed through the skin. Wear protective gloves, clothing and goggles. Wash face and hands thoroughly with soap and water. Wash a case of respirator passed by the USDA for Parathion protection. The only person to keep a person out of the operating area or vicinity where there may be danger of drift. Various areas should not be planted. Rapidly and thoroughly wash hands and face and from hair. Wash clothing and wash it before re-use.

FIRST AID TREATMENT

INTERNAL: If swallowed, induce vomiting with 1-2 glasses of water. Do not give anything by mouth to a person who is unconscious. If inhaled, get person to fresh air. If on skin, wash with soap and water.

SKIN: Wash with soap and water. If in eyes, wash with water for 15 minutes.

EYES: Wash with water for 15 minutes. If in eyes, wash with water for 15 minutes.

PHYSICIAN'S NOTE

Parathion is a highly toxic insecticide. It is a powerful anticholinergic agent. Symptoms of poisoning include: blurred vision, dry mouth, difficulty in swallowing, difficulty in breathing, weakness, dizziness, headache, and loss of reflexes. In severe cases, convulsions and respiratory failure may occur. Death may result within a few hours. Treatment should be directed toward the removal of the poison from the body and the relief of symptoms. The use of atropine is essential in the treatment of parathion poisoning. The dose of atropine should be 1-2 mg. per hour until the patient is fully atropinized. The patient should be kept in a warm, quiet room and given plenty of fluids. The patient should be kept under close observation until recovery is complete.

Net Contents and Manufacturer On Container

ACCEPTED WITH COMMENTS

E-Z FLO TOBACCO FORMULA 2-3

CONTAINS 2% PARATHION AND 3% THIODAN® (ENDOSULFAN)

ACTIVE INGREDIENTS:

Parathion* 2.0%

Endosulfan** 3.0%

INERT INGREDIENTS: 95%

*O, O-Diethyl O-p-nitrophenyl thiophosphate 100.0%

**Hexachlorohexahydromethano-2, 4, 3-benzodioxathiepin Oxide

Thiodan is a registered trademark of Canadian Hoechst Limited.
U. S. Patent No. 2,799,685.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

This "Tobacco Formula" Dust is formulated on a non-alkaline, sterilized tobacco base carrier. It is compounded especially for use on tobacco for the control of Aphids, Budworms, Cabbage Loopers, Hornworms, Cutworms, Vegetable Weevils, and certain other insects.

CAUTION: Do not apply this product to hot beds with plastic covers or cloths bags. Application in the field should be made with power dusting equipment only.

CAUTION: No application should be made within 5 days of priming tobacco or 15 days of cutting. Avoid plant juices coming in contact with the skin of those persons engaged in cutting or priming the crop.

DIRECTIONS FOR USE

Insect	Dosage per acre or as otherwise indicated	When and where to apply	Safety Restrictions
IN FIELD OR SHADE			
Aphids	20-25 lb.	On foliage at seven-day intervals beginning immediately following transplanting and continuing to end of priming season. Direct dust so as to obtain maximum coverage of the plant and particularly the bud for aphid and budworm control.	Should be applied only by a trained operator.
Budworms, Hornworms, and cabbage loopers			
Cutworms	18-2 lbs.	Apply directly following transplanting.	