

ACCEPTED  
 APR 2 1970  
 635-405

# E-Z FLO PARATHION 8-F

(CONTAINS 8 LBS. PARATHION PER GALLON)

**DANGER:**  
**KEEP OUT OF THE REACH OF CHILDREN**

See Side Panel for Additional Warnings and Antidote Statements



**POISON**



**ACTIVE INGREDIENTS:**

Parathion (0, 0-diethyl 0-p-nitrophenyl thiophosphate) 77.3%

**INERT INGREDIENTS:**

22.7%  
 100.0%

Seller guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states. Seller makes no other express or implied guarantee, warranty or representation. No Warranty of Merchantability or of Fitness for a Particular Purpose is implied.

**SOLD BY**

**E-Z FLO CHEMICAL COMPANY**

**DIVISION OF GROWER SERVICE CORPORATION**

**ABERDEEN, NORTH CAROLINA COLUMBUS, OHIO LANSING, MICHIGAN**

NET CONTENTS OF CONTAINER

**DANGER**

**POISONOUS - SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. Do not splash on face. Wear natural rubber gloves, protective clothing and goggles. Wear a mask, respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Airplane pilots should wear full face canister type mask. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.**

**POISON**

**POISONING SYMPTOMS:** Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in the chest.  
**ANTIDOTE:** ATROPINE is the specific antidote. Obtain emergency supply of Atropine 1:100 grain tablets from your physician. Keep on hand.  
**CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

**FIRST AID TREATMENT**

**IF SWALLOWED** — Give tablespoonful of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.  
**INHALATION** — Remove patient from contaminated atmosphere.  
**SKIN** — In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.  
**EYES** — In case of contact, flush immediately with water for at least 15 minutes.  
**INFORMATION FOR PHYSICIAN (Treatment)** — Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

02-2

53-263-832

U.S.D.A. Reg. No. 635-405

## DIRECTIONS FOR USE

Application should be made only by trained personnel using approved protective equipment. Do not apply with hand equipment. Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. Do not allow mixture to stand. If mixture does not mix readily, but tends to separate as an oily layer, do not use as injury to plants may result. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe to plants. Always thoroughly emulsify this product with at least half of total water before adding wettable powders.

**RECOMMENDATIONS**

**ORCHARD:** Apply as full coverage sprays only. Do not prune or thin trees in dense orchards until at least 2 weeks have been allowed for dissipation of vapors from residues.

**APPLE:** Codling Moth, Plum Curculio, San Jose Scale, Forges Scale, Scurfy Scale, Red-Banded Leaf Roller (second and third brood), Woolly Apple Apteris — Use 1/4 pint per 100 gallons. Bud Moth, Red Bug, Fruit Tree Leaf Roller, Mites, Rosy Apple Aphid, Green Apple Aphid, Mealy Bug, Red-banded Leaf Roller (first brood) — Use 3/16 pint per 100 gallons. Use as a full coverage spray. Do not apply within 14 days of harvest.

**CUCUMBERS (Cucumber, Squash and Melons):** Aphids, Cucumber Beetle, Melonworm, Pickleworm, Serpentine Leaf Miner — Use 1/4 to 1/2 pint per acre in sufficient water for thorough coverage. Do not apply unless plants are dry nor until runners begin to form. Do not apply within 15 days of harvest on cucumbers and squash; 7 days on melons.

**LETTUCE:** Aphids, Leafhoppers — Use 1/4 pint per acre in sufficient water for thorough coverage. Do not apply within 7 days of harvest on head lettuce or within 14 days of harvest on leaf and bib lettuce. In greenhouses, use 0.1 pint per 50,000 cubic feet of greenhouse space. Do not apply within 21 days of harvest.

**ONION:** Thrips — Use 1/4 pint per acre in sufficient water for thorough coverage, and repeat at weekly intervals as necessary for thrips control. Do not apply within 15 days of harvest.

**PEPPER:** Aphids, Flea Beetle, Serpentine Leaf Miner, Pepper Maggot — Use 1/4 pint per acre in sufficient water for thorough coverage. Do not apply within 15 days of harvest.

**POTATO-TOMATO:** Aphids, Flea Beetle, Leafhopper, Serpentine Leaf Miner — Use 1/4 pint per acre in sufficient water for thorough coverage. Do not apply within 10 days of harvest on tomatoes and 5 days of harvest on potatoes.