

E-Z FLO TOBACCO FORMULA 1% PARATHION — 10⁽¹⁾ DITHANE DUST

WARNING:

KEEP OUT OF THE REACH OF CHILDREN

ACTIVE INGREDIENTS:

Parathion* 1.0%

Zineb (Zinc ethylene Bisdithiocarbamate)** 6.5%

INERT INGREDIENTS: 92.5%

100.0%

*O,O-Diethyl O-p-nitrophenyl thiophosphate.

**Equivalent to 10% Dithane.

⁽¹⁾Reg. trademark of Rohm and Haas Company.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.


DIRECTIONS FOR USE

This "Tobacco Formula" Dust is formulated on a non-alkaline, sterilized tobacco base carrier. It is compounded especially for use on tobacco for the control of Aphids, Flea Beetles and certain other insects, as well as for the control of Tobacco Blue Mold in the plant bed.

IN THE PLANT BED, apply at the rate of 1/2 to 1 pound per 100 square yards of plant bed. Applications should be continued at about weekly intervals until setting is completed. For Blue Mold control begin applications when plants are about the size of a dime or when the disease is first reported in the area. For Blue Mold control make 2 or more applications per week, however, more than 3 or 4 applications of this material may cause plant injury. If additional applications are required for Blue Mold control, use another suitable fungicide. Gloves should be worn when handling plants.

IN THE FIELD, apply on newly set plants at the rate of 7 to 8 pounds per acre, increasing the rate to 15 to 20 pounds per acre as the plants mature.

02-2



53-263-662

Repeat applications at 14 day intervals, as necessary, but do not apply within 5 days of priming or 15 days of cutting. Gloves should be worn when handling plants at harvest if applications have been made within 30 days. Avoid plant juices coming in contact with the skin or other parts of the body of those cutting crop. For more detailed information, consult your State Agricultural Experiment Station.

CAUTION: No application should be made within 5 days of priming tobacco or 15 days of cutting. Avoid plant juices coming in contact with the skin of those persons engaged in cutting or priming the crop.

WARNING

Keep away from children, domestic animals, feed and foodstuffs. Do not get in eyes, on skin, or on clothing. Extremely hazardous if swallowed, inhaled or absorbed through the skin. Wear natural rubber gloves, protective clothing and goggles. Rapidly absorbed through skin. If spilled on skin or clothing, wash thoroughly with soap and hot water. Wear a mask or respirator passed by the USDA for parathion protection. Use only as directed. Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated. Wash hands, arms, and face thoroughly with soap and water before eating or smoking.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not apply when weather conditions favor drift of dust from crop areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

FIRST AID TREATMENT: Call a physician at once!

INTERNAL: If swallowed, make patient vomit by giving warm salt water or soapy water. Administer milk or water freely. Have patient lie down and keep warm.

SKIN: Immediately remove all contaminated clothing and flush skin with water for at least 15 minutes.

EYES: Immediately flush with water for at least 15 minutes.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

U.S.D.A. Reg. No. 635-421

ACCEPTED WITH COMMENTS