

E-Z FLO TOBACCO DUST No. 101

CONTAINS SEVIN* AND PARATHION

WARNING:
KEEP OUT OF THE REACH OF CHILDREN

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl
 N-methylcarbamate) 10.0% by wt.

Parathion (0,0-diethyl 0-p-nitrophenyl
 thiophosphate) 1.0% by wt.

INERT INGREDIENTS: 89.0% by wt.

100.0% by wt.

*Trademark of Union Carbide Corp. for Carbaryl.
 US Patent Nos. 2,903,478; 3,009,855.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

For Control of Major Tobacco Insects

DIRECTIONS FOR USE

Not for use or storage in or around the home.

Hand Dusting Application for Budworms and Tobacco Flea Beetles, when hand dust applications are made on individual plants, apply 4 to 6 pounds per acre. Heavier applications may cause plant injury. Rotary dusters are recommended.

Broadcast Application for Hornworms, Budworms, Aphids, Flea Beetles, Suckfly, Grasshoppers and Japanese Beetles, apply 15 to 20 pounds per acre depending on size of the plants. Use the highest rate only on large plants. Full coverage is essential. Begin treatment when worms are small and repeat as needed. Heavier applications may cause plant injury.

NOTE

1. If late applications are necessary, treat immediately after priming. Do not apply within 5 days of priming or 15 days of cutting, avoid getting wet with plant juices when cutting the crop.

2. Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following application.

WARNING

MAY BE FATAL IF SWALLOWED, Inhaled or Absorbed through skin! Rapidly absorbed through skin! Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Workers entering a treated field within 5 days of an application should wear protective clothing. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

NOTE TO PHYSICIAN: Give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish and wildlife. Keep out of lakes, ponds, and streams. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of dust from areas treated. Birds feeding on treated areas may be killed.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes, or by burning (keep out of smoke).

Net Contents and Manufacturer On Container

