

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR FERTILIZER REGISTRATION REGISTERED

E-Z FLO 1% PARATHION—10% DITHANE® DUST

WARNING:
KEEP OUT OF THE REACH OF CHILDREN

ACTIVE INGREDIENTS:

Parathion* 1.0%
Zineb (Zinc ethylene bisdithiocarbamate)** 6.5%

INERT INGREDIENTS: 92.5%
100.0%

*0,0-Diethyl 0-p-nitrophenyl thiophosphate

**Equivalent to 10% Dithane

®Reg. Trademark of Rohm and Haas Co.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

For use on tobacco for control of Aphids, Flea Beetles and certain other insects, as well as for the control of Tobacco Blue Mold in the plant bed.

IN THE TOBACCO PLANT BED, apply at the rate of 1/2 to 1 pound per 100 square yards of plant bed. Applications should be continued at about weekly intervals until setting is completed. For Blue Mold control begin applications when plants are about size of a dime or when the disease is first reported in the area. For Blue Mold control make 2 or more applications per week, however, more than 3 or 4 applications of this material may cause plant injury. If additional applications are required for Blue Mold control, use another suitable fungicide. Gloves should be worn when handling plants.

IN THE FIELD, apply on newly set plants at the rate of 7 to 8 pounds per acre, increasing the rate to 15 to 20 pounds per acre as the plants mature. Repeat applications at 14 day intervals, as necessary, but do not apply within 5 days of priming or 15 days of cutting. Gloves should be worn when handling plants at harvest if applications have been made within 30 days. Avoid plant juices coming in contact with the skin or other parts of the body of those cutting crop. For more detailed information, consult your State Experiment Station or Extension Service.

WARNING

May be Fatal if Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in the eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Toxic to fish and wildlife. Do not use where any body of water will be contaminated by direct application or runoff.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes, or by burning (keep out of smoke).

Net Contents and Manufacturer
On Container