

E-Z FLO TOBACCO FORMULA 1% PARATHION 20^(T) DITHANE DUST

WARNING:
KEEP OUT OF THE REACH OF CHILDREN

ACTIVE INGREDIENTS:

Parathion* 1.0%
Zineb (Zinc ethylene bisdithiocarbamate)** 13.0%

INERT INGREDIENTS: 86.0%

*0,0-Diethyl 0-p-nitrophenyl Thiophosphate.

**Equivalent to 20% Dithane.

^(T)Reg. Trademark of Rhom and Haas Company.

A 100.0%
Apr 13, 1971
635-496

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

This "Tobacco Formula" Dust is formulated on a non-alkaline, sterilized tobacco base carrier. It is compounded especially for use on tobacco for the control of Aphids, Flea Beetles and certain other insects, as well as for the control of Tobacco Blue Mold in the plant bed.

IN THE PLANT BED, apply at the rate of 1/2 to 1 pound per 100 square yards of plant bed. Applications should be continued at about weekly intervals until setting is completed. For Blue Mold control, begin applications when plants are about the size of a dime or when the disease is first reported in the area. Gloves should be worn when handling plants.

02-2

53 263-638

IN THE FIELD, for control of Aphids and Flea Beetles, apply on newly set plants at the rate of 7 to 8 pounds per acre, increasing the rate to 15 to 20 pounds per acre as the plants mature. Repeat applications at 14 day intervals, as necessary, but do not apply within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with the skin of those persons engaged in cutting or priming the crop. Gloves should be worn when handling plants at harvest. For more detailed information, consult your State Agricultural Experiment Station.

WARNING

May Be Fatal If Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin! Do not get in the eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Toxic to fish and wildlife. Keep out of any body of water. Do not apply to any area not specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (keep out of smoke).

U.S.D.A. Reg. No. 635-496

ACCEPTED WITH COMMENTS

Net Cont. 53
635-496
Comments