

DANGER
KEEP OUT OF THE REACH OF CHILDREN



POISON



ACTIVE INGREDIENTS:

Parathion* **2.73%**

Sulfur **54.50%**

INERT INGREDIENTS:** **42.77%**

100.00%

*0,0-Diethyl O-p-Nitrophenyl Thiophosphate.

**Contains 14.54% Zinc, as Metallic (Equivalent to 27.2% Basic Sulfate of Zinc).

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE


DIRECTIONS: For control of brown rot, San Jose scale and white peach scale, curculio, Oriental fruit moth and aphids on peaches, use 11 lbs. per 100 gallons of water. Two to six applications at 18 day intervals beginning with the first adult feeding are usually necessary for curculio. Oriental fruit moth applications should be timed with the egg hatch of the broods.

NOTE: Do not apply parathion to peaches closer than 14 days before harvest. Sulphur may burn foliage when temperature is high. Do not make sulphur applications at such time.

CAUTION: User should not use more than 5 lbs. per acre of actual parathion per year.

For further information as to timing of application consult nearest Federal or State Experiment Station.

02-2



Net Contents and Manufacturer On Container

POISON

DANGER: This product is extremely toxic to humans and animals. It is also highly toxic to fish and wildlife. Do not apply to any area not specified on the label. Keep out of any body of water. Do not use in or near homes, schools, churches, or other public buildings. Do not use in or near water. Do not use in or near fruit trees or other plants which are to be eaten. Do not use in or near areas where children play. Do not use in or near areas where people work. Do not use in or near areas where people live. Do not use in or near areas where people eat. Do not use in or near areas where people drink. Do not use in or near areas where people sleep. Do not use in or near areas where people rest. Do not use in or near areas where people relax. Do not use in or near areas where people entertain. Do not use in or near areas where people socialize. Do not use in or near areas where people gather. Do not use in or near areas where people meet. Do not use in or near areas where people talk. Do not use in or near areas where people work. Do not use in or near areas where people live. Do not use in or near areas where people eat. Do not use in or near areas where people drink. Do not use in or near areas where people sleep. Do not use in or near areas where people rest. Do not use in or near areas where people relax. Do not use in or near areas where people entertain. Do not use in or near areas where people socialize. Do not use in or near areas where people gather. Do not use in or near areas where people meet. Do not use in or near areas where people talk.

FIRST AID TREATMENT: In case of contact with skin, wash immediately with plenty of water. In case of contact with eyes, flush immediately with plenty of water. In case of contact with clothing, remove clothing immediately. In case of contact with food, wash immediately with plenty of water. In case of contact with drink, wash immediately with plenty of water. In case of contact with skin, wash immediately with plenty of water. In case of contact with eyes, flush immediately with plenty of water. In case of contact with clothing, remove clothing immediately. In case of contact with food, wash immediately with plenty of water. In case of contact with drink, wash immediately with plenty of water. NEVER GIVE ANYTHING BY MOUTH TO ANYONE EXCEPT YOUR PERSON.

ANTIDOTE: Atropine sulfate, 1 mg. per 100 lbs. body weight, 3 times a day.

PHYSICIANS NOTE: Parathion is a cholinesterase inhibitor. It causes a temporary paralysis of the nervous system. It is highly toxic to humans and animals. It is also highly toxic to fish and wildlife. Do not apply to any area not specified on the label. Keep out of any body of water.

TREATMENT: In case of contact with skin, wash immediately with plenty of water. In case of contact with eyes, flush immediately with plenty of water. In case of contact with clothing, remove clothing immediately. In case of contact with food, wash immediately with plenty of water. In case of contact with drink, wash immediately with plenty of water. In case of contact with skin, wash immediately with plenty of water. In case of contact with eyes, flush immediately with plenty of water. In case of contact with clothing, remove clothing immediately. In case of contact with food, wash immediately with plenty of water. In case of contact with drink, wash immediately with plenty of water.

CAUTION: This product is toxic to fish and wildlife. Do not apply to any area not specified on the label. Keep out of any body of water.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

U.S.D.A. Reg. No. 635-497

ACCEPTED WITH COMMENTS

53-263-644

ACTIVE INGREDIENTS:

Parathion*	2.73%
Sulfur	54.50%

INERT INGREDIENTS:**	42.77%
	100.00%

*0,0-Diethyl O-p-Nitrophenyl Thiophosphate.

**Contains 14.54% Zinc, as Metallic (Equivalent to 27.2% Basic Sulfate of Zinc).

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

DIRECTIONS: For control of brown rot, San Jose scale and white peach scale, curculio, Oriental fruit moth and aphids on peaches, use 11 lbs. per 100 gallons of water. Two to six applications at 18 day intervals beginning with the first adult feeding are usually necessary for curculio. Oriental fruit moth applications should be timed with the egg hatch of the broods.

NOTE: Do not apply parathion to peaches closer than 14 days before harvest. Sulphur may burn foliage when temperature is high. Do not make sulphur applications at such time.

CAUTION: User should not use more than 5 lbs. per acre of actual parathion per year.

For further information as to timing of application consult nearest Federal or State Experiment Station.

02-2

CAUTION: This product is toxic to fish and wildlife. Do not apply to any area not specified on the label. Keep out of any food or water.

This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information is available from your local Cooperative Agricultural Extension Service.

53 263-644

U.S.D.A. Reg. No. 635-497