

E-Z FLO PEACH SPRAY No. 2

DANGER:
KEEP OUT OF THE REACH OF CHILDREN



POISON



POISON

ACCEPTED
 APR 8 1971
 U.S. DEPARTMENT OF AGRICULTURE
 PESTICIDE REGISTRATION DIVISION
 635-498

ACTIVE INGREDIENTS:

Parathion* **3.7%**
Sulphur **75.0%**

INERT INGREDIENTS: **21.3%**
 **100.0%**

*0,0-Diethyl O-p-Nitrophenyl Thiophosphate.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

(For Areas Other Than California)

DIRECTIONS: For the control of brown rot, San Jose scale, white peach scale, plum curculio, Oriental fruit moth and green peach aphids on peaches use at the rate of 8 lbs. per 100 gallons water. Two to six applications are usually necessary for control of curculio. Apply at petal fall and every 10 to 14 days thereafter until control is achieved. Do not use on peaches in California.

NOTE: Full coverage spray for control of scale insects. Do not apply within 14 days of harvest. Do not apply more than 135 lbs. (5 lbs. actual parathion) per acre per year.

For further information as to timing of application consistent with label consult State Agricultural Experiment Station.

CONTAINER DISPOSAL: Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (keep out of smoke).

Net Contents and Manufacturer On Container

DANGER

Extremely toxic to humans. Causes severe skin irritation. Avoid contact with eyes, nose, mouth, skin or on clothing. Wear protective gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Treated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Antidotes: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomited. Have victim lie down and keep quiet. Call a Physician immediately.

If on skin, remove contaminated clothing and immediately wash with soap and water.

FIRST AID TREATMENT: If inhaled, get victim into fresh air. If in eyes, flush with water for 15 minutes. If on skin, remove contaminated clothing and wash with soap and water. If on clothing, remove and wash separately. If on face, wash with soap and water. If on mouth, rinse with water. If on hands, wash with soap and water. If on clothing, remove and wash separately. NEVER USE ANTI-DOTES. ALWAYS USE PROTECTIVE CLOTHING.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomited. Have victim lie down and keep quiet. Call a Physician immediately.

CAUTION: This product is toxic to fish and wildlife. Do not apply in any area not specified on the label. Keep out of any body of water. Do not apply when weather conditions favor drift of spray from areas treated. Birds feeding on treated areas may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.