

E-Z FLO 23% PARATHION E. C.

(Contains 2 Lbs. Parathion Per Gallon)

DANGER:
KEEP OUT OF THE REACH OF CHILDREN

See Side Panel for Additional Warnings and Antidote Statements



POISON



ACTIVE INGREDIENTS:

Parathion* 23.0%

Xylene 67.0%

INERT INGREDIENTS: 10.0%

100.0%

Seller guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states. Seller makes no other express or implied guarantee, warranty or representation. **No Warranty of Merchantability or of Fitness for a Particular Purpose is Implied.**

SOLD BY

E-Z FLO CHEMICAL COMPANY

DIVISION OF GROWER SERVICE CORPORATION

ABERDEEN, NORTH CAROLINA COLUMBUS, OHIO LANSING, MICHIGAN

95-27

53-263-892

U.S.D.A. Reg. No. 635-518

DIRECTIONS FOR USE

Alfalfa: Aphids — Apply 1 to 1.5 pts. per acre as a full coverage spray in 3 to 10 gals. water by aircraft. Apply as required during the growing season.

Alfalfa Weevil Larvae — Apply 1.5 to 2 pts. per acre when buds and shoots first appear.

DANGER

Swallowed, Inhaled, or Absorbed Through Skin. **Absorbed Through Skin:** Do not get in eyes, on skin, or on clothing. Keep away from heat and open flame. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of spraying areas or vicinity where there may be danger of drift. Ventilated areas should not be re-entered until drifting or settling dust and pesticide residues have dissipated. Do not eat, drink, use tobacco, or use foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

ANTIDOTES: If **swallowed**, Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately! If **on skin**, In case of contact remove contaminated clothing and immediately wash skin with soap and water. Atropine is an Antidote — Consult physician for Emergency Supply.


FIRST AID TREATMENT: Call a Physician at once in all cases of suspected Parathion Poisoning.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1:100 gr.) at once. Remove patient immediately from the area where parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of parathion. If swallowed induce vomiting by giving warm salty or soapy water. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Physician's Note: Warning symptoms include weakness, head-tightness in the chest, blurred vision, non-reactive pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Give atropine, preferably by injection, groups of two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed determined by blood tests.

This product is toxic to fish and wildlife, keep out of water and of water. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of spray to areas treated. Birds, bees, and other beneficial insects should be protected. Rinse equipment and containers and dispose of wastes by pouring in approved lands away from water supplies. Containers should be destroyed by punching holes in them and burning with wood.



E-Z FLO CHEMICAL COMPANY
DIVISION OF GROWER SERVICE CORPORATION
ABERDEEN, NORTH CAROLINA COLUMBUS, OHIO LANSING, MICHIGAN

95-29

53-263-892

U.S.D.A. Reg. No. 635-518

been allowed determined by blood tests.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not apply to any area not specified on the label. Do not apply when weather conditions favor drift of spray from areas treated. Birds feeding on treated areas may be killed. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with a...

DIRECTIONS FOR USE

Alfalfa: Aphids — Apply 1 to 1.5 pts. per acre as a full coverage spray in 3 to 10 gals. water by aircraft. Apply as required during the growing season.
Alfalfa Weevil Larvae — Apply 1.5 to 2 pts. per acre when buds and shoots first appear ragged or when larvae count reaches 25 per sweep. In the case of severe infestations, apply 1.5 to 2 pts. per acre to the stubble immediately after removal of alfalfa. Do not apply within 15 days of harvest.

Peaches: For the control of plum curculio, codling moth, Oriental fruit moth and aphids. — Use 1 pint per 100 gallons of water using 200-400 gallons of water per acre for full coverage. Apply at petal fall and every 10-14 days thereafter. DO NOT apply more than 5 lbs. actual parathion per acre per year. Not for use in California. Do not apply within 14 days of harvest.

Apples: For control of plum curculio — Use 1½ pints in 100 gallons of water. For red spider mites — Use 1 pint in 100 gallons of water; two applications at 10 day intervals may be necessary. For red banded leaf roller — Use 1½ pints in 100 gallons of water. Make first application in first cover spray. If second brood appears, applications should be made about the time of the fourth cover spray. Use 800 gallons of water per acre. Do not apply to susceptible varieties such as McIntosh and related varieties. Do not apply within 14 days of harvest.

Tobacco: For aphids, midge larvae, vegetable weevil larvae, and green June beetle larvae in plant beds — Use 1 pint in 100 gallons of water and apply at the rate of 3 to 10 gallons to each 100 square yards of bed. If applications are made 5 to 7 days prior to pulling plants, handlers should wear gloves. For aphids and suck flies on field plants — Use 1 pint in 60 gallons of water and apply at the rate of 40 to 80 gallons per acre. Avoid having plant juices from treated tobacco coming in contact with the skin of persons engaged in cutting or priming the crop. Do not apply within 5 days of priming,

ACCEPTED

AUG 11 1954

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
ECONOMIC POISON REGISTERED UNDER NO. 23351E

NET CONTENTS ON CONTAINER

DIRECTIONS (Continued)

or within 15 days of cutting. If applied within 30 days of priming, handlers should wear gloves.

Ornamentals (Outdoors): For commercial nurseries only to control aphids, mites, mealybugs, leaf tiers, white flies, and lace bugs — Use 1 pint in 100 gallons of water.

E-Z FLO 23% Parathion is compatible with DDT, Sulphur, neutral coppers, and many other commonly used insecticides and fungicides which are non-alkaline in nature. Consult Federal or State Experimental Stations for further information as to the compatibility of other insecticides or fungicides.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.