

E-Z FLO APPLE SPRAY

WARNING:

KEEP OUT OF THE REACH OF CHILDREN

ACTIVE INGREDIENTS:

Sulphur	38.0%
Lead Arsenate (as PbHAsO ₄)	16.0%
Copper, (in Basic Copper Sulfate) expressed as metallic	3.2%

INERT INGREDIENTS:	42.8%
	<hr/>
	100.0%

Net Content: 1.5 L (50.7 FL OZ) (E-F-101)

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

APPLES: E-Z Flo Apple Spray is for complete growing period use. Do not add anything else to the spray. Essential note: Use a minimum of two gallons of water for every gallon of water. (4 gallons to 5 gallons of water for treating foliage and fruit with minimum water. Mix thoroughly and spray evenly.)

For use on the E-Z Flo Apple Spray powder, use the following method: Prepare a spray mixture of water and E-Z Flo Apple Spray. Apply to the foliage and fruit of apple trees at 7-day intervals. Do not spray after the fruit has been harvested. Do not spray at application intervals of less than 7 days before harvest. Do not apply within 30 days of harvest. Do not graze livestock on treated areas.

Do not apply within 30 days of harvest. Do not graze livestock on treated areas.

CAUTION

WARNING

Poisonous if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly after using. Avoid breathing dust or spray mist. Do not contaminate feeds and foodstuffs. Keep out of reach of children and domestic animals.

ANTIDOTE: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoonfuls of Epsom Salts or Milk of Magnesia in water and plenty of milk and water. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY!

USE PRECAUTIONS

Avoid application during or just prior to periods of high temperatures (90°F and above) and humidity (when plants are moist or wet).

Do not apply during bloom when honey bees or other pollinators are active. Avoid contact with spray or dust drift on flowers, fruits, or fruits, vegetables, and forage crops. Keep children and animals off treated areas until chemical has been washed into the soil by sprinkling or rain and the area is dry.

Do not empty bags by turning out by ashtray. Wash spray equipment thoroughly after use. Dispose of wash water where it will not be a hazard to humans or animals. Do not use this product on feed or forage to be fed to dairy animals or animals being finished for slaughter. Do not graze livestock on treated orchard areas.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates and do not apply closer to harvest than specified. Consult your State Agricultural Experiment Station for specific information consistent with labeling as the timing, number and rate of applications will vary with local conditions.

NOT for USE or STORAGE in or around the HOME.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment. Do not apply to crops. Bees should not be placed in treated areas. Do not apply to crops.