


E-Z FLO MANEB, PARATHION 7-2 DUST

635-543

WARNING:
KEEP OUT OF THE REACH OF CHILDREN



ACTIVE INGREDIENTS:

Parathion (O,O-Diethyl O-p-Nitrophenyl Thiophosphate) 2.0%
 Maneb (Manganese Ethylenebisdithiocarbamate) 7.0%

INERT INGREDIENTS: 91.0%
 100.0%

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

TOMATOES: Early blight, late blight, Septoria leaf spot, gray leaf spot (Stemphylium) anthracnose, leafhopper, serpentine leaf miner, whitefly and aphids. Apply when fruit of first clusters is well formed or when insects first appear, at the rate of 20 pounds per acre. Repeat at 7 to 10 day intervals. (Do not use on young seedlings in greenhouses as injury may occur.) When weather conditions favor disease, more frequent applications may be necessary, starting when plants are set in fields. Do not apply within 10 days of harvest.

WARNING

May be fatal if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through skin. Do not get in eyes, on the skin, or on clothing. Do

not breathe dust. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Wear waterproof or protective clothing, natural rubber gloves, hat and goggles. Keep away from feed and food products. Keep away from fire and sparks. Wash hands, arms and face with soap and water thoroughly after application or before eating or smoking. Wash contaminated clothing with hot water and soap before re-using. Keep all unprotected persons or animals out of the operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residue has dissipated.

POISON

FIRST AID TREATMENT: Call a doctor (note for doctor): Therapeutic doses of atropine are effective as an antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine.

INTERNAL: If swallowed, make patient vomit by giving warm salt water or soapy water. Administer milk or water freely. Have patient lie down and keep warm. Never give anything by mouth to an unconscious patient.

SKIN: Immediately remove all contaminated clothing and flush with water for at least fifteen minutes.

EYES: Immediately flush with water for at least fifteen minutes; get medical attention.

INHALATION: Give two atropine tablets at once if patient shows symptoms of blurred vision or pin-point pupils.

Toxic to fish and wildlife. Do not contaminate any body of water nor apply when conditions favor drift from the crop area treated. Birds feeding on treated areas may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

IMPORTANT

Never allow dust to become wet during storage as it will reduce the effectiveness of the dust and it will create flammable vapors. Keep container closed when not in use.

Use only as directed. Consult your State Agricultural Experiment Station for more specific recommendations. Do not dust plants during flowering and/or pollination periods.

Not for use or storage in or around the home.

Not Contents and Instructions