


E-Z FLO TOBACCO DUST No. 51

(CONTAINS 5% SEVIN** AND 1% PARATHION)

WARNING:
KEEP OUT OF THE REACH OF CHILDREN



ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl-N-methylcarbamate)..... 5.0%

Parathion* 1.0%

INERT INGREDIENTS: 94.0%

100.0%

*O,O-Diethyl O-p-nitrophenyl thiophosphate.
 **Trade Mark of Union Carbide Corporation.

Net Contents and Manufacturer On Container

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

TOBACCO INSECTS (Application should be made through power dusters **only**):
 For control of Hornworms, Flea Beetles, Aphids, Suck Flies, and Tobacco Spitt
 Worms use at the rate of 15 to 25 pounds per acre depending upon size of plants
 and degree of infestation. For Budworms use 25 lbs. per acre.

For further information as to time and rates of application, consult with label
 directions, consult Federal or State Experimental Stations.

Do not apply to foliage within 5 days of harvest. Do not apply to plants and those
 to be used for feeding the livestock. Avoid spraying during rain. Do not contact with
 skin or other parts of the body.

WARNING

Always wear protective clothing and use only the U.S. Department of Agriculture
 approved respirator or natural rubber gloves, goggles, protective clothing. In
 case of contact with the eyes, flush with clean water. Wash hands with soap
 and water. Do not eat, drink, or smoke while using this product. Do not
 breathe the dust. If it gets on your face, wash with soap and water. Do not
 breathe the dust. If it gets on your face, wash with soap and water. Do not
 breathe the dust. If it gets on your face, wash with soap and water.

Extremely hazardous if swallowed, inhaled or absorbed through the skin. Wash
 all contaminated clothing with soap and hot water before re-use. Keep all persons
 out of the operating area or vicinity where there may be danger of drift. Vacated
 areas should not be re-entered until the drifting insecticides and volatile residues
 have dissipated. Do not apply when weather conditions favor drift of dust from
 crop areas treated.

Not for use or storage in or around the home.

This product is toxic to fish and wildlife. Keep out of lakes, ponds, and streams.
 Do not apply to any areas not specified on the label. Birds feeding on treated areas
 may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on
 crops. Protective information may be obtained from your Cooperative Agricultural
 Extension Service.

PHYSICIANS' NOTE: Warning symptoms include weakness, headache, tightness in
 the chest, blurred vision, non-reactive pin point pupils, salivation, sweating,
 nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine, preferably by injection, grains 1/100 two or three
 tablets at once and parenterally or orally every hour as required up to 30 tablets
 or until pupils dilate. 2-PAM is also antidotal and may be administered in conjunc-
 tion with atropine. Never give morphine. Clear chest by postural drainage. Artificial
 respiration or oxygen administration may be necessary. Observe patient contin-
 uously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warn-
 ing, cause prolonged susceptibility to very small doses of any cholinesterase
 inhibitor. Allow no further exposure until time for cholinesterase regeneration has
 been allowed as determined by blood tests.

ANTIDOTE: Atropine is an antidote. Consult Physician for Emergency Supply.
FIRST AID TREATMENT: CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUS-
 PECTED PARATHION POISONING.

If symptoms or signs of poisoning such as blurred vision, abdominal cramps, and
 tightness in the chest, do not wait for a doctor, but give two atropine tablets each
 of 100 mg at once. Remove patient immediately from the area where parathion
 is present. Remove all contaminated clothing and wash the skin, face with plenty
 of soap and water to remove all traces of parathion. If available, induce vomiting
 by giving warm water or milk. **NEVER GIVE ANYTHING BY MOUTH TO
 ANYONE IN CASE OF POISONING.**

Remove equipment and containers and dispose of wastes and spillage by burning
 in an open field away from water supplies. Containers should be disposed by
 puncturing holes in them and burying with water, or by burning (keep out of
 view).

E-Z FLO TOBACCO DUST No. 51

(CONTAINS 5% SEVIN** AND 1% PARATHION)

WARNING:
KEEP OUT OF THE REACH OF CHILDREN

ACCEPTED
APR 9 1971
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl-N-methylcarbamate)..... 5.0%
Parathion* 1.0%

INERT INGREDIENTS: 94.0%
100.0%

635-556

*O,O-Diethyl O-p-nitrophenyl thiophosphate.
**Trade Mark of Union Carbide Corporation.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

DIRECTIONS FOR USE

TOBACCO INSECTS (Application should be made through power dusters only):
For control of Hornworms, Flea Beetles, Aphids, Suck Flies, and Tobacco Split
Worms use at the rate of 15 to 25 pounds per acre depending upon size of plants
and degree of infestation. For Budworms use 25 lbs. per acre.

For further information as to time and rates of application consistent with label
directions, consult Federal or State Experimental Stations.

Do not apply to tobacco within 5 days of priming or 15 days of cutting, and those
engaged in cutting the crop should avoid having plant juices come in contact with
skin or other parts of the body.

WARNING

Wear a mask or respirator of a type passed by the U. S. Department of Agriculture
for Parathion protection, natural rubber gloves, goggles, protective clothing. In
case of contact, wash immediately with soap and water. Wash hands, arms and
face thoroughly with soap and water before eating or smoking. Do not con-
taminate feed and foodstuffs and keep away from children and domestic animals.
Rapidly absorbed through skin! Do not get in eyes, on skin or on clothing.

Extremely hazardous if swallowed, inhaled or absorbed through the skin. Wash
all contaminated clothing with soap and hot water before re-use. Keep all persons
out of the operating area or vicinity where there may be danger of drift. Vacated
areas should not be re-entered until the drifting insecticides and volatile residues
have dissipated. Do not apply when weather conditions favor drift of dust from
crop areas treated.

Not for use or storage in or around the home.

This product is toxic to fish and wildlife. Keep out of lakes, ponds, and streams.
Do not apply to any areas not specified on the label. Birds feeding on treated areas
may be killed.

This product is highly toxic to bees exposed to direct treatment or residues on
crops. Protective information may be obtained from your Cooperative Agricultural
Extension Service.

PHYSICIANS' NOTE: Warning symptoms include weakness, headache, tightness in
the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating,
nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine, preferably by injection, grains 1/100 two or three
tablets at once and parenterally or orally every hour as required up to 30 tablets
or until pupils dilate. 2-PAM is also antidotal and may be administered in conjunc-
tion with atropine. Never give morphine. Clear chest by postural drainage. Artificial
respiration or oxygen administration may be necessary. Observe patient continu-
ously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warn-
ing, cause prolonged susceptibility to very small doses of any cholinesterase
inhibitor. Allow no further exposure until time for cholinesterase regeneration has
been allowed as determined by blood tests.

ANTIDOTE: Atropine is an antidote — Consult Physician for Emergency Supply.
FIRST AID TREATMENT: CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUS-
PECTED PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and
tightness in the chest, don't wait for a doctor but give two atropine tablets each
(1/100 gr.) at once. Remove patient immediately from the area where parathion
is present. Remove all contaminated clothing and wash the skin clean with plenty
of soap and water to remove all traces of parathion. If swallowed, induce vomiting
by giving warm salty or soapy water. NEVER GIVE ANYTHING BY MOUTH TO
AN UNCONSCIOUS PERSON.

Rinse equipment and containers and dispose of wastes and spillage by burying
in non-crop lands away from water supplies. Containers should be disposed by
punching holes in them and burying with wastes, or by burning (keep out of
smoke).

Net Contents and Manufacturer
On Container