

UN R THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR REGISTERED USE ONLY
 EPI 111-118 3-3-58 SUBJECT
 TO ATTACHED COMMENTS.

Net Content

E-Z FLO TOBACCO FORMULA 1% PARATHION 6.5% ZINEB DUST

WARNING: KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

Parathion*	1.0%
Zineb (Zinc ethylene Bisdithiocarbamate)	6.5%
INERT INGREDIENTS:	92.5%

100.0%

*O, O-Diethyl O-p-nitrophenyl thiophosphate.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

Seller guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and the statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of safety to food crops, and upon reports of field experience. Tests have not been made on all varieties or in all States. Seller makes no other express or implied warranty of representation. **No Warranty of Merchantability or of Fitness for a Particular Purpose is Implied.**

DIRECTIONS FOR USE

This "Tobacco Formula" Dust is formulated on a non-alkaline, sterilized tobacco base carrier. It is compounded especially for use on tobacco for the control of Aphids, Flea Beetles and certain other insects, as well as for the control of Tobacco Blue Mold in the plant bed.

IN THE PLANT BED, apply at the rate of 1/2 to 1 pound per 100 square yards of plant bed. Applications should be continued at about weekly intervals until setting is completed. For Blue Mold control begin applications when plants are about the size of a dime or when the disease is first reported in the area. For Blue Mold control, make 2 or more applications per week, however, more than 3 or 4 applications of this material may cause plant injury. If additional applications are required for Blue Mold control, use another suitable fungicide. Gloves should be worn when handling plants.

IN THE FIELD, apply at the rate of 15 to 20 pounds per acre. Repeat applications at 14 day intervals, as necessary, but do not apply within 5 days of priming or 15 days of cutting. Gloves should be worn when handling plants at harvest if applications have been made within 30 days. Avoid plant juices coming in contact with the skin or other parts of the body of those cutting crop. For more detailed information, consult your State Agricultural Experiment Station.

CAUTION: No application should be made within 5 days of priming tobacco or 15 days of cutting. Avoid plant juices coming in contact with the skin of those persons engaged in cutting or priming the crop.

DECONTAMINATION AND DISPOSAL INSTRUCTIONS Do not reuse the container. Completely empty the contents and bury the container and its contents in a deep, in an isolated location away from water supplies. Burn the empty container completely. Exercise extreme caution in disposal. Do not dump in streams.

WARNING

Keep away from children, domestic animals, feed and food stuff. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed, inhaled or absorbed through the skin. Wear natural fiber gloves, protective clothing and goggles. Rapidly absorbed through skin. If spilled on skin or clothing, wash thoroughly with soap and hot water. Wear a mask or respirator when in the area of parathion protection. Use only as directed. Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be reentered until the irritating pesticides and volatile residues have dissipated. Wash hands, arms, and face thoroughly with soap and water before eating, drinking. This product is poisonous to fish and wildlife. Keep out of ponds and streams. Do not apply to water bodies. See directions on the label. Do not apply when weather conditions are such that drift from crop areas treated.

This product is highly toxic to bees. Extended to be kept out of contact with residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

FIRST AID TREATMENT: Call a physician at once.

INTERNAL: If swallowed, make patient vomit with 1 cup of water or soapy water. Administer milk or water if vomiting does not occur. Patient lie down and keep warm.

SKIN: Immediately remove all contaminated clothing. Wash skin with water for at least 15 minutes.

EYES: Immediately flush with water for at least 15 minutes.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

NET WEIGHT: 50 POUNDS

03-4

53 263 634

U.S. EPA Reg. No. 63400-01