

E-Z FLO DITHANE[®] M-45

POTATO SEED-PIECE FUNGICIDE DUST

DIRECTIONS FOR USE

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN

Net Contents and Manufacture
On Container

ACTIVE INGREDIENTS:


A co-ordination product of zinc ion and
manganese ethylene bisdithiocarbamate 8%

In which the ingredients are:

Manganese⁺⁺ 1.6%
Zinc⁺⁺2%
Ethylene bisdithiocarbamate .. 6.2%

INERT INGREDIENTS:

92% 635-600



⁶U. S. Patent No. 2,504,404; 2,974,156 and Patent Pending.

DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

IMPORTANT:

Keep away from fire and sparks. Store in a cool, dry place. Do not allow to become wet or overheated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of Dithane M-45 and may also generate flammable vapors. Keep container closed when not in use.

RECOMMENDATIONS:

Dithane M-45 Potato Seed-Piece Fungicide Dust is a special fungicide dust formulation for application on whole or cut potato tubers to protect them from seed-piece decay caused by Fusarium sambucinum.

DIRECTIONS FOR USE:

Use 1 lb. of Dithane M-45 Potato Seed-Piece Fungicide Dust per 100 lbs. of whole or cut potato seed-pieces. Apply the dust in a manner such that the entire surface of the seed-piece becomes thoroughly covered with the fungicide dust. Plant seed as soon after treatment as possible. Do not use treated seed potatoes for food or feed purposes.

CAUTION

May cause irritation of nose, throat, eyes and skin. Do not breathe dust. In case of skin contact, wash with water; for eyes, wash copiously with water and get medical attention. Do not re-use containers. Destroy by burying with waste.