

**ACCEPTED**

SEP 19 1970

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 62264 SUBJECT  
TO ATTACHED COMMENTS.

# TOBACCO FORMULA 2% PARATHION 4% THIODAN 6.5% ZINEB

DANGER: KEEP OUT OF REACH OF CHILDREN



**ACTIVE INGREDIENTS:**

Aphids  
Budworms,  
Hornworms,  
and Cabbage  
Loopers

Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate)	2.0%
Endosulfan (Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide)	4.0%
Zineb (zinc ethylene bisdithiocarbamate)	6.5%
<b>INERT INGREDIENTS:</b>	<u>87.5%</u>
	100.0%

DESTROY CONTAINER WHEN EMPTY NEVER RE-USE

No Warranty of Merchantability or of Fitness for a Particular Purpose is made.

**CAUTION:** This product is extremely toxic to fish and aquatic life. Do not use in or near water.

**CAUTION:** Do not use on plants or animals that are intended for human consumption.

**DIRECTIONS FOR USE**

**BLUE MOLD In the Plant Bed:** Mix 1/2 cup of this product with 1 gallon of water. Spray thoroughly on the plants. Repeat every 7 to 10 days.

**In the Field:** Apply 1/2 cup of this product per acre. Repeat every 7 to 10 days.

Insect	Dosage Per Acre (in 1000 sq ft)	When and Where to Apply
Aphids	1/2 cup	Apply when first seen on plants.
Budworms	1/2 cup	Apply when first seen on plants.
Hornworms	1/2 cup	Apply when first seen on plants.
Cabbage Loopers	1/2 cup	Apply when first seen on plants.

**IN PLANT BED:** Apply 1/2 cup of this product per acre. Repeat every 7 to 10 days.

**NET WEIGHT 50 POUNDS**

REGISTERED TRADEMARK

© 1975  
DOW CHEMICAL COMPANY

# TOBACCO FORMULA 2% PARATHION 4% THIODAN 6.5% ZINEB

## ACTIVE INGREDIENTS

Parathion (O,O-Dimethyl O-p-nitrophenyl phosphorothioate)

Thiodan (2,4-Dichlorophenoxydimethyl sulfone)

Zincb (Zinc dimethyldithiocarbamate)

© 1975 DOW CHEMICAL COMPANY