


DANGER-POISON-PRECAUTIONS 

# E-Z FLO SUPERKILL TOBACCO SPRAY

(Each Gallon Contains 1 Lb. Thiodan<sup>®</sup> and 0.5 Lb. Parathion)

USE ONLY  
FOLLOW  
EQUIPMENT

(1) Wear work boots or rubber goggles. (3) Wash by the U.S. Bureau of Protection. (4) Wear gloves.


WORK

Keep all unprotected areas from treated area drift.

Do not rub eyes if you feel sick in any way. Go to hospital immediately if exposed. After treatment, victims should take victim to clinic.

IMPORTANT! Be sure to wash with soap and water and arms with water eating or drinking.

AFTER WORK, wash shoes. Shower, only clean clothes wear contaminated clothing and protective water after eat cleaned and filterations included with

 POISON

PARATHION is a highly toxic insecticide which enters the body through the skin, eyes, nose and mouth. It must be removed immediately. Victims must receive prompt medical attention or may die.



## POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



**POISON**  
See side panels  
for antidote  
and precautions

STOP! READ THE LABEL



**DANGER**  
Keep out of reach  
of children

5 GALLONS NET.

## POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



## POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.


## DIRECTIONS FOR USE

Before using study safety directions.

**TOBACCO** (Foliage application): To control aphids (including green peach aphid), budworm, cabbage looper, flea beetle, hornworms (including tobacco hornworm) and suckfly, apply 2-4 qts A in 10 to 50 gals. water A through conventional ground equipment to give thorough coverage of the plants.

When necessary to enter treated fields within 24 hours after application, protective clothing should be worn. Avoid contact with plant juices when priming or cutting tobacco. Do not apply within 5 days of priming. Do not apply within 15 days of harvest.

**NOT FOR HOME USE**



<b>ACTIVE INGREDIENTS:</b>	
*Endosulfan	12.57%
**Parathion	6.29%
<b>INERT INGREDIENTS:</b>	
*Thiodan (Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide. Thiodan <sup>®</sup> is a registered trademark of Canadian Hoechst Limited. U. S. Patent No. 2,799,685.	100.00%
**O, O-Diethyl O-p-n trophenyl thiophosphate.	

The manufacturer makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

SOLD BY

**E-Z-FLO CHEMICAL COMPANY**  
DIVISION OF KIRSTO COMPANY  
COLUMBUS, OHIO      LANSING, MICHIGAN

43-19

53-263-841

EPA Est 635-MI-1; OH-1

E. P. A. Reg. No. 635-620

# CO SPRAY

0.5 Lb. Parathion)

EL

## DANGER

### Keep out of reach of children

### 5 GALLONS NET.

.....	12.57%
.....	6.29%
.....	81.14%
.....	100.00%

odioxathiepin  
adian

ing this product or its use, which concerning this product apply only

## COMPANY COMPANY NG, MICHIGAN

E. P. A. Reg. No. 635-620

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK**, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



### POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

### + FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac

and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.** Endosulfan produces central nervous system excitation which responds to the barbituric acid derivatives. Treat symptomatically.

For emergency assistance call  
716 735-3765



### DISPOSAL

Do not contaminate water by cleaning of equipment, or disposal of wastes. Rinse equipment and containers and **DISPOSE OF WASTES** by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container; smash or perforate and bury with wastes.

**DO NOT CONTAMINATE FEED OR FOODSTUFFS  
DO NOT USE IN UNDILUTED FORM  
DO NOT STORE BELOW 20° F.**

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.**

**DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.**

### USAGE CAUTIONS

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding in treated areas may be killed. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. **Do not apply** when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

### POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.