

POISON SIGNS (Symptoms)

ALDRIN is a very dangerous poison. It rapidly enters the body and acts with all skin surfaces and eyes. Clothing wet with this must be removed immediately. Exposed persons must receive medical treatment or they may die.

If the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tight-chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain to the doctor that the victim has been exposed to parathion and describe his condition.

If vomiting has stopped, start artificial respiration immediately and continue until doctor sees the victim.

If the victim is conscious and victim is awake (conscious) make him vomit quickly by sticking finger down throat or by giving soapy or salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and rest. See doctor immediately.

If there is contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call doctor immediately.

NOTE TO PHYSICIAN


Atropine - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat every 5 to 10 minute intervals until signs of atropinization appear.

Sodium bicarbonate is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued administration of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS. Endosulfan and other organophosphorus central nervous system excitation which responds to the barbiturate acid derivatives. Treat symptomatically.

1978 5 GALLONS INC.

Reg No 635-620 EPA Est 635-MI-1; OH 1

User makes no warranties, express or implied, concerning this product, which extend beyond the description on the label. All statements made concerning this product are true only when used as directed.



RESTRICTED USE PESTICIDE
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



SUPERKILL TOBACCO SPRAY

DANGER: Keep Out Of Reach Of Children
See Side Panels for Antidote & Precautions

(Each Gallon Contains 1 Lb. Thiodan * and 0.5 Lb. Parathion)

ACTIVE INGREDIENTS:
*Endosulfan 0.29%
**Parathion 14.86%
Xylene 4.28%
INERT INGREDIENTS: 79.57%
*Thiodan (Mesa-chlorohydroxyethane-2,4,4-triazolobenzothiazin-1-one)
**O, O-Diethyl O-p-nitrophenyl thiophosphate 100.00%

DANGER-POISON-PRECAUTIONS

POISONOUS IF SWALLOWED
This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed

POISONOUS BY SKIN CONTACT
Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED
Breathing vapors, spray mist or dust may be fatal.

Sold by
Grower Service Corporation
Lansing, Michigan 48901

WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING:

water-proof pants, cap, hat, shoes, socks, gloves, and a long-sleeved shirt. Do not eat, drink, or smoke while wearing this protective clothing or breathing apparatus.

WORK SAFETY RULES
Do not use restricted pesticides and do not use them in a confined space. Do not use pesticides in a confined space unless you get help right away.

Call a doctor (physician), clinic or hospital immediately. Explain to the doctor that the victim has been exposed to parathion and describe his condition. Call the Treatment Section at 1-800-485-2048 for more information.

WARNING: Before removing gloves, wash them with soap and water. Wash your face and arms with soap and water.

AT WORK: Take off all work clothes and shoes. Wash and clean clothes when leaving job. Do not wash or iron work clothes. Wash all protective clothing and protective equipment with hot, soapy water. The protective equipment should be cleaned and stored separately from other clothing with respiratory.

RELATED AREA: Call your local health department for information regarding posting treated areas.

DIRECTIONS FOR USE

Read and follow safety directions.
Tobacco (Foliage application): To control aphids, including green peach aphis, and cabbage looper, flea beetle, cutworms, including tobacco hornworms, apply 2-4 qts/A in 10 to 50 gals. water/A. Use conventional sprayer or pump to give thorough coverage of the plants.

When necessary to enter treated fields within 24 hours after application, protective clothing should be worn. Avoid contact with plant juices when pruning or thinning tobacco. Do not apply within 5 days of pruning. Do not apply within 10 days of harvest.

USAGE CAUTIONS
This product is toxic to fish and wild life. Keep out of streams, rivers, ponds, and wildlife in treated areas may be killed. Apply this product in accordance with label. Do not apply where runoff is likely to occur. Do not apply in areas where conditions favor drift from areas treated. Do not use in areas where there is a risk of equipment, or disposal of wastes.

This product is highly toxic. If bees exposed to direct treatment, they will die. For more information, call 1-800-485-2048, Grower Service.

FOR HOME USE

DISPOSAL
Do not contaminate water by cleaning of equipment or disposal of wastes. Wash equipment and containers and DISPOSE OF WASTE by burying at least 6 inches deep in non-crop lands away from water supplies. Do not reuse container, smash, perforate and bury with wastes.

Do not contaminate feed or foodstuffs.
Do not use in undiluted form.
Do not store below 20° F.
Do not use or store near heat or open flame. Keep container closed. If any packages should be removed to a safe place.

Do not allow this material to drift onto neighboring crops or non-crop areas. Use in a manner or at a time other than in accordance with label directions because animal or crop injury, illegal residues or other undesirable results may occur.