

# E-Z FLO METHYL BROMIDE

(SOIL FUMIGANT)



POISON



POISON

**DANGER:** Keep out of reach of children.

SEE SIDE PANEL FOR ADDITIONAL WARNINGS AND ANTIDOTE STATEMENTS

**ACTIVE INGREDIENTS:**  
Methyl Bromide  
Chloropicrin

98%  
2%  
Total 100%

Seller guarantees and warrants (a) that the active ingredient content and the total net weight are as stated within lawful limits and (b) that the directions, warnings and other statements on this label are based upon responsible scientific evaluation of reasonable tests of effectiveness of toxicity to human beings, animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states. Seller makes no other express or implied guarantee, warranty or representation. No Warranty of Merchantability or of Fitness for a Particular Purpose is implied.

## DIRECTIONS FOR USE

**TO OPEN:** The contents of this can are under pressure. Open only with SPECIAL APPLICATOR available from your supplier.

The following are general instructions on the use of E-Z Flo Methyl Bromide for soil fumigation. To be used only in seed beds or transplant beds.

**SOIL FUMIGANT USES:** E-Z Flo Methyl Bromide (containing 2% chloropicrin warning agent) is an effective soil fumigant for the control of nematodes, weed seeds and certain soil borne disease-causing fungi. In seed beds and potting soils it contributes to a maximum production of healthy, vigorous TOBACCO, VEGETABLE (see note), NURSERY and FOREST TREE seedlings. Where "slips," "cuttings," "spuds" or seeds are used as in GREENHOUSES, NURSERIES, GOLF GREENS, LAWNS and GARDENS, healthy and vigorous rooting is established quickly. **NOTE:** For the production of transplants only.

**SOIL PREPARATION and use of EQUIPMENT:** Plow or otherwise work soil to a fine tilth. Add fertilizer, manure or compost, work in well. Use one vaporizer pan for each 300 to 400 sq. ft. Anchor discharge tube in pan with temporary weight for easy withdrawal. Support polyethylene cover with mounds of dirt, inverted bottles or straw filled sacks. Anchor edges of cover in shallow trench.

**CAUTION:** Do not fumigate when soil temperature is below 50° F. Expose for 48 hours when soil temperature is between 50° F. and 60° F. and for 24 hours when above 60° F. Soil should be moist and friable for best results. Do not fumigate when soil is dry or excessively wet.

**DOSAGE:** For most purposes use 1 lb. of E-Z Flo Methyl Bromide for each 100 sq. ft. of soil to be treated.

**WHEN TO PLANT:** Aerate soil for 2 days before seeding or 5 to 7 days before setting out vegetative growth.

911-26

53-263-068

U.S.D.A. Reg. No. 635-628

## DIRECTIONS FOR USE (Continued)

**APPLICATION OF E-Z FLO METHYL BROMIDE:** The "cold-method" consists of conveying the liquid methyl bromide through a plastic tube from the can to the evaporating pan under the cover. The resulting gas spreads over and penetrates the soil. Do not discharge the liquid directly on the soil.

To obtain "hot gas" from cans, preheat in a bucket of hot water. Before puncturing can be sure outlet tube is on top so that only gases are discharged. No evaporating pan is necessary. This quick production of gas increases fumigation efficiency. Increase discharge rate by immersing can in hot water.

The field use of "hot gas" from cylinders in conjunction with mechanical laying of the polyethylene cover requires detailed description. For further information on this use inquire from your supplier or from E-Z Flo Chemical Company.

## WARNING

**WARNING: POISONOUS LIQUID and VAPOR.** Contact with liquid may cause severe burns. Breathe vapor. Do not get in eyes. In case of eye contact, immediately flush with water. Remove all contaminated clothing and shoes. Wash thoroughly with soap and water. Flush eyes with water for at least 15 minutes. Do not use contaminated clothing until free of all liquid.

**WARNING:** When using E-Z Flo Methyl Bromide, use only the tank cap approved for protection against organic vapors, approved by the U.S. Bureau of Mines. Always place special openers on upwind side of cover.

**ANTIDOTE:** Remove victim to fresh air immediately. Keep victim warm and wet. Give artificial respiration if breathing has stopped. CALL A PHYSICIAN IMMEDIATELY.

**CAUTION:** STORE IN A COOL, WELL-VENTILATED PLACE.

**DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE**

Net Contents and Manufacturer  
On Container

ACCIDENT

635 628