

**PRECAUTIONARY STATEMENTS**

HAZARD TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Irritant to skin and eyes. Wash thoroughly with soap and water after use. Avoid contact with skin and eyes. Avoid breathing spray or dust. Do not eat, drink, or smoke while using. Avoid contact with skin and eyes.

**FIRST AID:** In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes. Get medical attention. In case of contact with skin, wash with soap and water. In case of contact with clothing, remove clothing and wash separately. In case of contact with water, do not drink. In case of contact with food, do not eat. In case of contact with feed, do not feed.

**Required Clothing and Equipment for Application:** All applicators, including owners, riggers and all personnel involved with the operation of the equipment during operations, must wear the protective clothing and equipment specified on this label. Persons who are exempt from this requirement. The protective clothing and equipment to be worn are as follows:

- a. Impermeable gloves (for example, rubber or plastic coated reinforced gloves)
- b. Boots or boot covers
- c. Long sleeve shirt and long pants
- d. Wide brimmed hat
- e. Respirators must be worn by riggers and all applicators.

**AERIAL APPLICATION**

**AUTOMATIC FLAGGING DEVICES SHOULD BE USED WHENEVER FEASIBLE. IF HUMAN FLAGGERS ARE EMPLOYED, THEY MUST WEAR THE PROTECTIVE CLOTHING AND RESPIRATOR SPECIFIED ON THIS LABEL.**

**ENVIRONMENTAL HAZARDS**

This product is toxic to water. Keep out of rivers, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply where wind drift is likely to occur. Do not apply to areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to bees. Restrict application to the period after dark when bees are inside the hive or in the early morning before the bees are foraging in the fields. Protective information may be obtained from your cooperative agricultural extension service.

**PHYSICAL AND CHEMICAL HAZARDS**

Combustible. Keep away from heat and open flame. Do not store below freezing temperatures.


**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide spray, mixture, or residue that cannot be used or chemically reprocessed, should be disposed of according to procedures approved by Federal, State or local disposal authorities. **CONTAINER DISPOSAL:** Triple rinse (or equivalent) and recycle where approved. Landfill or bury in a safe place. **GENERAL:** Contact Federal, State or local disposal authorities for approved alternate procedures.

**ACCEPTED**  
 NOV 2 1981  
 Under the Fertilizer, Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 635-666



**DIMETHOATE EC**

**WARNING:**  
**KEEP OUT OF REACH OF CHILDREN**  
 (See Side Panel For Additional Warnings)

**ACTIVE INGREDIENTS:**

Dimethoate (O,O-Dimethyl S (N-methylcarbamoyl-methyl) Phosphorodithioate	30.0%
Xylene	34.0%

**INERT INGREDIENTS:**


**TOTAL 100.0%**

**NET CONTENTS 5 GALLONS**

EPA Reg. No. 635-666  
 EPA Est. No. 635-OH-1  
 AUG '81

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

Sold by  
**Grower Service Corporation**  
 Lansing, Michigan 48901



# DIMETHOATE EC

**WARNING:**  
**KEEP OUT OF REACH OF CHILDREN**  
 (See Side Panel For Additional Warnings)

**ACTIVE INGREDIENTS:**

Dimethoate (O,O-Dimethyl S-(N-methylcarbamoyl methyl) Phosphorodithioate) 30.0%

Xylene 34.0%

**INERT INGREDIENTS:** 36.0%

**TOTAL 100.0%**

**NET CONTENTS 5 GALLONS**

EPA Reg. No. 635-666  
 EPA Est. No. 635-OH-1  
 AUG '81

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

**Sold by**  
**Grower Service Corporation**  
 Lansing, Michigan 48901

**ALFALFA** For the control of Aphids, Leafhoppers, Lygus Bugs, Grasshoppers, and a reduction of Aphis Virescens Larvae. Apply 1/2 to 1 1/2 pts/Acre. Do not apply within 10 days of harvest or pasturing. Maximum application per year.

**CITRUS** For the control of Aphids, Mealybugs, and Thrips. Apply 1/2 to 1 pt/Acre. Do not apply within 14 days of harvest. Repeat application should not be made at intervals of less than 14 days on young and treated foliage or graze livestock on treated trees.

**TOMATOES** For the control of Aphids, Leaf Miners, and Leafhoppers. Apply 1/2 to 1 1/2 pts/Acre. Do not apply within 7 days of harvest.

**FIELD CROPS**

**ALFALFA** For the control of Aphids, Leafhoppers, Lygus Bugs, Grasshoppers, and a reduction of Aphis Virescens Larvae. Apply 1/2 to 1 1/2 pts/Acre. Do not apply within 10 days of harvest or pasturing. Maximum application per year.

**CITRUS** For the control of Aphids, Mealybugs, and Thrips. Apply 1/2 to 1 pt/Acre. Do not apply within 14 days of harvest. Repeat application should not be made at intervals of less than 14 days on young and treated foliage or graze livestock on treated trees.

**TOMATOES** For the control of Aphids. Apply 1/2 to 1 1/2 pts/Acre. Do not apply within 21 days of harvest.

**HOUSE INSECTS**

**PEACHES** For the control of Aphids and Scale. Apply 3 gals. in 100 gals. water. Apply 7 days before harvest. Use on all rough bark and crevices that can be reached from the ground. Make this bark application when conditions are favorable for the eggs. Use hydraulic or backpack sprayer. Do not spray if wind is blowing directly at the trees.

**ROUGH BARK** For the control of Aphids and Scale. Apply 1/2 gal. in 100 gals. water/Acre. Make thorough coverage application when cones are closed and pendant. Use hydraulic or backpack sprayer.

**FINES** For the control of Aphids, Leafhoppers. Apply 1/2 to 1 1/2 pts/Acre. Do not apply to non-trees used for production of fruit.