

Code 60655

5 GALLONS

*Thompson's*  
**MULTI-TOX  
TL**

**LIVESTOCK-INSECTICIDE SPRAY & DIP  
CONCENTRATE**

Combining LINDANE and TOXAPHENE  
For Quick Kill and Long Residual Action  
Kills DDT Resistant Flies

For Control of Ticks, Lice and Many Kinds of Flies

**COMPOSITION**

**ACTIVE INGREDIENTS:**

Toxaphene (Technical Chlorinated Camphene containing 67-69% Chlorine) .....	45.0%
Gamma Isomer of Benzene Hexachloride (from Lindane) .....	2.0%
Petroleum Distillate .....	25.0%
Xylene .....	18.0%

**INERT INGREDIENTS: .....** 10.0%

**WARNING: Keep out of reach of children.**  
See side panel for additional cautions.

MANUFACTURED BY  
**THOMPSON CHEMICALS CORPORATION**  
LOS ANGELES 22, CALIF. • ST. LOUIS 3, MISSOURI

ACCEPTED

JUN 1 1966

U.S. DEPARTMENT OF AGRICULTURE

PLANT INDUSTRY DIVISION

WASHINGTON, D.C.

PLANT INDUSTRY DIVISION

WASHINGTON, D.C.

*Thompson's*  
**MULTI-TOX**  
**TL**

**LIVESTOCK-INSECTICIDE SPRAY & DIP  
CONCENTRATE**

**Combining LINDANE and TOXAPHENE  
For Quick Kill and Long Residual Action  
Kills DDT Resistant Flies**

**For Control of Ticks, Lice and Many Kinds of Flies**

**COMPOSITION**

**ACTIVE INGREDIENTS:**

Toxaphene (Technical Chlorinated Camphene containing 67-69% Chlorine) .....	45.0%
Gamma Isomer of Benzene Hexachloride (from Lindane) .....	2.0%
Petroleum Distillate .....	25.0%
Xylene .....	18.0%

**INERT INGREDIENTS: .....** 10.0%

**WARNING:** Keep out of reach of children  
and use only as directed on label.

## DIRECTIONS FOR USE

### As An Animal Spray or Dip

To control Horn Flies, Cattle Lice, Hog Lice, Ear Tick and Winter Tick dilute 1 quart with 37 gals. of water and thoroughly wet animals for best results. Make repeat applications as necessary.

To control Keds, Sheep Lice, and Goat Lice: dilute 1 quart with 37 gals. of water and thoroughly wet animal for best results. A single application is usually sufficient for control of these pests.

To control Fleas, Fleece Worms, and Ticks: dilute 1 pint with 30 gals. of water and thoroughly wet animal with spray for best results. Repeat applications should be made when necessary.

## DILUTION TABLE

	Volume of Water	
Thompson's Multi Tox TL	Livestock Spray or Dip	Prentise Spray
1 fl. oz.	1 1/4 gallon	
1/2 pint	10 gallons	3 gallons
1 quart	37 gallons	12 gallons
1 gallon	150 gallons	48 gallons

To control Scabies (Psoroptic Common or body scab, and Chorioptic or foot scab): Mix 1 2/3 gals. with 150 gallons of water to produce 0.5% concentration.

Use these scabies in single dipping. The animal should be completely submerged and the head of each ducked at least once. Infested and exposed animals must be held in the vat for a full minute. Calves should be dipped separately from larger and heavier animals in such a manner as to avoid the ingestion of dip fluid. The dip should be frequently checked at vatside when large bands are dipped in order to maintain proper dipping strength.

Always stir dip well before using.

#### **AS A PREMISE SPRAY**

For residual insect control of Flies, Fleas, Mosquitoes, Roaches, Ants, and many other insects, dilute 1 pint with 6 gals. of water and spray around barns, stables and sties. Thoroughly wet all surfaces where flies and mosquitoes alight or crawl and all cracks and all other places where roaches and ants hide. For Fleas, thoroughly treat places where animals sleep. Repeat applications as necessary. Do not treat ~~animals~~ animals with this dilution. Do not use in dwellings.

#### **Use On Backrubbers For The Control Of Horn Flies On Beef Cattle**

Dilute 1 gal. with 9 gals. of fuel or furnace oil. Saturate one backrubbing unit with a gallon of the solution. Re-saturate every 2 weeks with 2 quarts of solution.

**WARNING:** May be fatal if swallowed. Do not inhale spray. Do not get in eyes, on skin, or clothing. Wash exposed skin thoroughly after use. To protect fish and wildlife, do not contaminate streams, lakes, or ponds with washings from spray tanks or dipping troughs.