

LABEL FOR:

Date sent in:

3

USE No. No. 642-

THOMPSON CHEMICALS CORPORATION
2515 W. Alameda St.
Wilmington, California 90744

CODE 42530



1 PINT

AN INSECTICIDE FUNGICIDE FORMULATION

READ ENTIRE LABEL use strictly in accordance with label cautions, warnings and directions.

WARNING: Poisonous if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash all contaminated clothing with soap and hot water before re-use.

CAUTION: Do not use or store near open flame. Rinse spray equipment with water after use. When container is empty, immediately wash thoroughly and destroy. **Never** re-use.

NON-WARRANTY

Seller makes no warranty of any kind, expressed or implied, concerning the use of this product. Buyer assumes all risk in use or handling, whether in accordance with directions or not.

MADE IN U.S.A.

AFG

USDA Reg. No. 642-126

APHIS-MILDEW SPRAY

ACTIVE INGREDIENTS:

Copper Oleate*	15.0%
Pyrethrins	0.4%
Piperonyl Butoxide, Technical**	2.0%
Rotenone	1.5%
Other cube extractives	3.0%
Pine Oil	10.0%
Aromatic Petroleum Solvents	63.1%
INERT INGREDIENTS:	5.0%
Copper equivalent	1.50%

**Equivalent to 1.60% of (butylcarbityl) (6-propylpiperonyl) ether, and to 0.40% of related compounds.

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

DIRECTIONS FOR USE

Spray thoroughly during hot weather, spray in morning or late evening. Direct spray on insects when possible. Repeat as necessary when insects and diseases appear.

HOW TO MIX

Spray to use	Water to use
1 teaspoonful	1 quart
4 teaspoonfuls	1 gallon
1 pint	25 gallons
1 quart	50 gallons

Use on Ornamentals — Roses: to control Aphis, Powdery Mildew, Rust, Black Spot, Red Spider, Thrips, (exposed) Diabrotica Beetles, Britly Rose Slug, Leafhoppers, — Spray after leaves are half grown, then every 7 to 10 days as insects and diseases appear.

Other Flowers, Shrubs (such as Dahlias, Sweet Peas, Fuchsias, Camellias): Aphis, Powdery Mildew, Leaf Spot, Mealybugs, Soft Brown Scale (Crawlers), Spittle Bugs, Rust, Red Spider Mites, Leafhoppers, Diabrotica Beetles. Spray as insects or diseases appear and continue making applications as necessary at regular intervals. Aphis, Thrips (exposed). Spray growing plants as necessary.

4-18-