

ACCEPTED
 4-29-67
 642-145
 UNDER THE PROVISIONS OF THE FEDERAL INSECTICIDE ACT

CODE 40830



1 PINT

DILUTION TABLE		
THOMPSON CHICKWEED & CLOVER KILL	Add water to make	Covers
4 Tbsp. (2 ozs.)	5 gals.	375 sq. ft.
8 Tbsp. (4 ozs.)	7 1/2 gals.	800 sq. ft.

WARNING: Bent grasses are somewhat sensitive to this product and should be treated twice with an intervening period of 14 days, using half strength solutions. St. Augustine and similar grasses may be sensitive and should be tested on a small section of the lawn before applying to the entire area. Do not use on Dichondra or Lippia lawns. Delay reseeding treated areas for at least 3 to 4 weeks after treatment.

Do not spray flower beds, vegetable, or ornamental plantings.

CAUTION: Avoid contact with skin, eyes and clothing. Wash hands after use. Avoid contamination of feed and foodstuffs. Keep away from pets.

USE CAUTIONS: Avoid drift of spray or vapors as this product may injure nearby susceptible plants such as cotton, beans, peas, tomatoes, and ornamentals. Coarse sprays are less likely to drift. Do not store near or transport with fertilizers, insecticides, fungicides, or seeds. Excessive amounts of this product in the soil may temporarily inhibit seed germination or plant growth.

Do not contaminate any body of water, by drift, run-off, direct application, cleaning of equipment or disposal of wastes and containers. Do not use or store near heat or open flame. Wash containers thoroughly as soon as emptied and destroy.

NON-WARRANTY: Seller makes no warranty of any kind, expressed or implied, concerning the use of this product. Buyer assumes all risk in use or handling, whether in accordance with directions or not.

CHICKWEED & CLOVER KILL

ACTIVE INGREDIENT:	By Wt.
Diethanolamine salt of Silvex*	
2-(2,4,5-Trichlorophenoxy) Propionic Acid	15.5%
INERT INGREDIENTS	84.5%
*Equivalent to 11.4% of 2-(2,4,5-Trichlorophenoxy) Propionic Acid or 400 grams per gallon.	

CAUTION: Keep out of reach of children.
 See back panel for additional cautions.

Read Entire Label Before Using. Follow Directions Strictly. Observe Cautions and Warnings Given on Label.

THOMPSON CHICKWEED & CLOVER KILL

Controls chickweed, clover and Henbit in lawns. It may be applied to these weeds when temperatures are low without damage to lawn grasses.

DIRECTIONS FOR USE

Chickweed and Henbit can be killed at any time of the year, however, these weeds are most readily controlled in the Fall or early Spring when they are small. Clover is best controlled in the Spring or Fall. Careful application and proper timing are important for control of clover.

SPRAYER ATTACHED TO GARDEN HOSE: Place in sprayer jar the appropriate amount of this product shown in the Dilution Table for the area to be treated, fill jar with water and mix thoroughly.

PRESSURE TANK SPRAYER: Thoroughly mix appropriate volumes of this product and water (see Dilution Table).

To clean sprayers: Discard any solution remaining in sprayer directly into drain to the sewer. Place 1/2 gal. water in tank and slowly add 4 level tablespoons of lye (observe cautions on label of lye container). Close tank and shake thoroughly (about 2 to 3 minutes), wetting all inside surfaces of sprayer. Force about 1 pint of lye solution through spray nozzle under light pressure. Discard lye solution directly into drain to sewer and rinse tank and nozzle 3 or 4 times with water.

MADE IN U.S.A.

USDA Reg. No. 642-145

AFG

4-29-67
692-145

DILUTION TABLE

THOMPSON	1 qt. water	1/2 gal.
1 Tbsp. 4 ozs.	1 gal.	1/2 qt.
8 Tbsp. 4 ozs.	2 gal.	1/2 qt.
	4 gal.	1/2 qt.
	8 gal.	1/2 qt.

WARNING: Bent grasses are somewhat sensitive to this product and should be treated twice with an intervening period of 14 days, using half strength solutions. St. Augustine and similar grasses may be sensitive and should be tested on a small section of the lawn before applying to the entire area. Do not use on Dichondra or Lippia lawns. Delay reseeding treated areas for at least 3 to 4 weeks after treatment.


Do not spray flower beds, vegetable or ornamental plantings.

CAUTION: Avoid contact with skin, eyes and clothing. Wash hands after use. Avoid contamination of feed and feedstuffs. Keep away from pets.

USE CAUTIONS: Avoid drift of spray or vapors as this product may injure nearby susceptible plants such as cotton, beans, peas, tomatoes, and ornamentals. Coarse sprays are less likely to drift. Do not store near or transport with fertilizers, insecticides, fungicides or seeds. Excessive amounts of this product in the soil may temporarily inhibit seed germination and plant growth.

Always contain in a body of water, if it drifts off, direct application, cleaning of equipment or disposal of wastes and containers. Do not use if there is a fire or explosion hazard. Wash containers thoroughly before reuse.

NON-WARRANTY: This product is sold as a general purpose weed killer. It is not intended to kill any specific weed. It is not intended to kill any specific weed. It is not intended to kill any specific weed.



CHICKWEED & CLOVER KILL



ACTIVE INGREDIENT:	By Wt.
Diethanolamine salt of Silvex*	
2-(2,4,5-Trichlorophenoxy) Propionic Acid	15.5%
INERT INGREDIENTS	84.5%
*Equivalent to 11.4% of 2-(2,4,5-Trichlorophenoxy) Propionic Acid or 400 grams per gallon.	

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

LOS ANGELES THOMPSON CHEMICALS CORPORATION ST. LOUIS

Controls chickweed, clover and Herbit in lawns. It may be applied to these weeds when temperature is low without damage to lawn grasses.

THOMPSON CHICKWEED & CLOVER KILL

Controls chickweed, clover and Herbit in lawns. It may be applied to these weeds when temperature is low without damage to lawn grasses.

DIRECTIONS FOR USE

Apply to lawns in the Fall or early Spring when they are small. Clover is best controlled in the Spring or Fall. Careful application and proper timing are important for control of clover.

SPRAYER ATTACHED TO GARDEN HOSE: Fill sprayer with the appropriate amount of the product shown in the front of label for the area to be treated. Spray lawns with a fine mist.

PREPARED MIXTURE: Prepare a solution of appropriate strength of this product with water. Dilute as directed.

To clean sprayers: Before using a sprayer, clean it with water. After use, wash it with water. Rinse it with water. Wash it with water. Rinse it with water. Wash it with water. Rinse it with water. Wash it with water. Rinse it with water.