

ROACH FOGGER

ROACH FOGGER WORKS—This fogger kills roaches in the areas of 3-4 sq. ft. and is effective against roaches in cracks and crevices. It is also effective against cockroaches, silverfish, and other insects. Fogger kills roaches in 10 to 15 minutes. For complete areas of infestation, use of fogger is recommended. The fogger is safe with children and pets when used as directed.

DIRECTIONS—Place fogger in room to be treated. Close doors and windows. Fogger will kill roaches in 10 to 15 minutes.

BEFORE USING—Close doors and windows. Open all doors and windows. Fogger will kill roaches in 10 to 15 minutes. For complete areas of infestation, use of fogger is recommended. The fogger is safe with children and pets when used as directed.

FOR BEST RESULTS—For best results against roaches, cockroaches and ticks, use Arab Bug-Ce, Arab Crack & Crevices, or Arab Roach & Ant Spray according to directions before using the Fogger.

TO USE—Place fogger in center of room. Fogger will kill roaches in 10 to 15 minutes. For complete areas of infestation, use of fogger is recommended. The fogger is safe with children and pets when used as directed.

AFTER 2-3 HOURS—Fogger may be re-used. Fogger will kill roaches in 10 to 15 minutes. For complete areas of infestation, use of fogger is recommended. The fogger is safe with children and pets when used as directed.

IF RE-INFESTATION OCCURS—Repeat and if necessary treat adjoining areas such as space between floor and wall, etc. which may be infested.

CAUTION—Fogger is not to be used in areas where children and pets are present. Do not apply in areas where children and pets are present. Do not use in areas where children and pets are present. Do not use in areas where children and pets are present.

KEEP OUT OF REACH OF CHILDREN—Keep out of reach of children. Do not use in areas where children and pets are present. Do not use in areas where children and pets are present.

KEEP OUT OF REACH OF CHILDREN—Keep out of reach of children. Do not use in areas where children and pets are present. Do not use in areas where children and pets are present.

KEEP OUT OF REACH OF CHILDREN—Keep out of reach of children. Do not use in areas where children and pets are present. Do not use in areas where children and pets are present.



ACTIVE INGREDIENTS:

2,2-dichloroethyl dimethyl phosphate (DDVP).....	0.46%
Related Compounds.....	0.04%
Pyrethrins.....	0.20%
Technical Piperonyl Butoxide.....	1.00%
Petroleum Distillates.....	10.30%
INERT INGREDIENTS.....	88.00%

***Equivalent to 2.0% (butylcarbitol) piperonyl ether and 0.5% related compounds.**


MADE IN U.S.A.
FEDERAL CHEMICAL COMPANY INC
INDIANAPOLIS, INDIANA 46278

ACCEPTED
with COMMENTS
to EPA Letter Dated:

NOV 22 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

BEST DOCUMENT AVAILABLE



NOV 22 1982

315/77712
17

Stewart
10/28/82

Federal Chemical Company, Inc.
5820 West 85th Suite 102
P.O. Box 68420
Indianapolis, IN 46287

Attention: Mr. Ditchfield

Gentlemen:

Subject: Amendment - Arach Focquator - to Lower
Percentage of Pyrethrin
EPA Registration No. 554-77
Application Dated August 26, 1982

The amendment referred to above, submitted in connection with registration under FIFRA sec. ~~3(c)(5)~~, is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Revise technical Piperonyl Butoxide to Piperonyl Butoxide, Technical.
 - b. The Child Hazard Warning "Keep Out Of Reach Of Children" should be relocated above the signal word.
 - c. The first sentence in the directions for use must make the following statements. "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."
 - d. A Statement of Practical Treatment must be added to the labeling. We suggest the following statement; however, if your toxicological data suggest otherwise, please submit a draft statement of Practical Treatment for prior approval.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

654-73

-2-

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Also please revise your note to physician statement as follows:

Note to Physicians: Atropine should be administered only if symptoms of cholinesterase inhibition appear.

It is noted that you no longer manufacture the 7 1/2 ounce container size and now market 6 and 12 ounce sizes. Your 6 ounce size will treat up to 5,000 cubic feet and the 12 ounce size treats up to 10,000 cubic feet.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767; LaRocca; DCR-39804; WANG-0705C; hk; Raven; 479-2013; 10/25/82