DIRECTIONS

RATS

hix thoroughly one part of Rax Powder with parts of a suitable bait material which is availe, such as corn meal, rolled oats, dog food, ing mash, stock food, etc. A small amount of and oil, such as mineral, corn, peanut, or any er edible oil, may be used, up to 5%, when bait is so dry that it might have a tendency just.

then perishable baits, such as ground meat, vegetables or similar material are used, bait tements should be made in late afternoon and placed daily with fresh bait.

Baits should be placed in amounts of from 2 up to 1 lb. in locations frequented by rats or ere rats have been known to feed. Baits must protected from dogs, cats, poultry, livestock, by bait boxes, cages or other suitable means. Baits should be examined regularly and resced when completely eaten. If bait moulds, composes or becomes sour it should be replaced.

MICE

for controlling mice follow the same general ctions as for rats except that the amount of placements should be smaller (1 teaspoonful tablespoonful) and more placements should

Mice are more difficult to control than rats and iplete control may take a longer period of



ACTIVE INGREDIENT:	
WARFARIN	3-(a-acetonylbenzyl)-4-hydroxyd
INERT INGREDIENTS	

*Wisconsin Alumni Research Foundation Compound No. 42

Canadian Pat. No. 460.333

ACCEPTED TE FOR PHYSICIANS: When a human has been known to have accidentally ingested any RAX HOWDER, blood transfusions combined with intravenous injections and oral doses of Vitamin

FOR ECONOMIC POISON REGISTER. SUBJECT Talle Mark ED UNDER NO..... TO ATTACHED COMMENTS.

U.S.D.A. Reg. No. 655-19

Baiting should continue as long as evidence of

Rax Powder contains as its active ingredient

pared with Rax Powder must be protected from

or placed where humans, livestock, poultry or

pets will not accidentally eat them. In case baits

are accidentally eaten, give a tablespoonful of

salt in a glass of warm water and repeat until

vomit fluid is clear. Call a physician immediately.

KEEP OUT OF REACH OF CHILDREN

ON

Prentiss Drug & Chemical Co., Inc.

10) WEST 31st STREET, NEW YORK 1, N. Y.

9 SO, CLINTON STREET, CHICAGO, ILL.

:oumarin*-A.5%

FOLLOW DIRECTIONS CAREFULLY

NET CONTENTS ONE POUR THE FEDERAL INSECTICION indicated as in the case of hemorrhage by overdoses of Dicumarolt.

MANUFACTURED BY