Reg # 655-19

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. Exposure during pregnancy should be avoided. Warfarin may cause harm to the fetus, including possible birth defects. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. When mixing baits, wear dust respirator and rubber gloves. If on skin, wash with soap and water. NOTE TO PHYSICIAN: If ingested, administer Vitamin K1 intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to mammals and birds. Do not discharge effluent containing this product into lakes, streams, pends, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into a Rodenticide for (1) The following uses: control of Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man-made structures; (2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) Uses for experimental purposes that are in compliance with USEPA requirements.

Formulators are responsible for providing data to support their registration.



For formulation only into registered end-use rodenticides to kill Norway rats, roof rats, and house mice.

### **ACTIVE INGREDIENT:**

Warfarin, 3-(alpha-Acetonylbenzyl)-		
4-hydroxycoumarin		0.5%
INERT INGRÉDIENTS:	. !	99.5%

## TOTAL: 100.0%

PRENTOX\*—Registered Trademark of Prentiss Incorporated

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center Give a glass or two of water and induce vomiting by giving syrup of ipecac, if available, or by touching finger to back of throat. Do not give anything by mouth or induce vomiting if patient is unconscious

If in eyes: Flush with plenty of water. Get medical attention if irritation persists

If on skin: Wash off with soap and water

#### SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-19

E.P.A. EST. NO. 12455 WI-1

NET CONTENTS

LOT NO. \_\_\_\_\_



· · · · ·


# STORAGE AND DISPOSAL

Do not contaminate water food, or feed by storage or disposal.

STORAGE: Store in original container in a dry area not accessible to children, pets, domestic animals or wildlife. If container is damaged: Stop any leaks by repositioning the container or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spills, wear protective equipment as required to prevent contact with the product or its vapors. Sweep onto a shovel and put the sweepings into a salvage drum. Dispose of wastes as specified below.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal or discharge of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into applicator equipment. Then dispose of liner and carton in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



Plant: Kaolin Road Sandersville, GA. 31082 Office: C 2000 Figral Park, N.Y. 11001