

PRENTOX^(R) DDVP 4 LB. EMULSIFIABLE CONCENTRATE

An Insecticide For Formulating Use Only.

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate 41.76%
Xylene Range Aromatic Petroleum Distillates 50.10%
Related Compounds 3.14%

INERT INGREDIENTS: 5.00%
Total: 100.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 6 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

655-229

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
If inhaled — Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.
If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.
If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

KEEP OUT OF REACH OF CHILDREN



**POISON
DANGER**



E.P.A. REG. NO. 655-229

E.P.A. EST. NO. 655-NJ-1

LOT # _____

NET CONTENTS _____




Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001



PRECAUTIONARY STATEMENTS

**Hazards to Humans
(and Domestic Animals)**

DANGER. Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

Instructions for Formulation

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

Note to Physician

Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

2525

345 | 77758
17 | 4

DRP
11/6/82

DEC 6 1982

Mr. Nick Sanchez
Prentiss Drug & Chemical Co., Inc.
363 Seventh Avenue
New York, NY 10001

Dear Mr. Sanchez:

Subject: Solvent Change
Prentox DDVP 4 lb. Emulsifiable Concentrate
EPA Registration No. 655-229
Your Application Dated July 20, 1982

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

The submitted Formula Statement has been added to the product's registration file.

We suggest the following two revisions to the existing Statement of Practical Treatment due to the change of solvent:

- If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

Please note that the remaining items of this section should appear as in the submitted labeling.

The Pesticide Disposal text should be revised so that the end reads "...according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act."

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD:LARocca:DCR-39814:WANG-1047C:pjb:Raven:479-2013:11/5/82