



prentox[®]

20% DDVP OIL SOLUBLE CONCENTRATE

AN INSECTICIDE FOR FORMULATING USE ONLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals)

DANGER. Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

Instructions for Formulation

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

Note to Physician

Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been maintained as determined by blood test.

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate (DDVP)	18.6%
Related Compounds	1.4%
Xylene Range Aromatic Solvent	80.0%
BEST QUALITY AVAILABLE	
	100.0%

KEEP OUT OF REACH OF CHILDREN



POISON DANGER



E.P.A. REG. NO. 655-292

E.P.A. EST. NO. 655-NJ-1

LOT # _____

NET CONTENTS _____

Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
New York, N.J. 07105

Office: 363 East Avenue
New York, N.Y. 10001

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin — Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

STORAGE AND DISPOSAL

PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

(a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING, OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL, OR BURY IN A SAFE PLACE IF LESS THAN 30 GALLONS; TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

