

prentox

50% DDVP OIL SOLUBLE CONCENTRATE

An insecticide for formulating use only.

ACTIVE INGREDIENTS	
2,2-Dichlorovinyl Dimethyl Phosphate	46.5%
Related compounds	3.5%
Xylene Range Aromatic Solvent	50.0%
TOTAL	100.0%

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, waterproof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

E.P.A. REG NO 655-294 E.P.A. EST NO 655-NJ-1

NET CONTENTS _____

LOT # _____

**KEEP OUT OF REACH
OF CHILDREN**

**POISON
DANGER**

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately. Gastric lavage is indicated if material was taken orally. DO NOT INDUCE VOMITING unless other treatment is available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give 100 cc of water and a soft finger or stick of licor. Repeat until vomitus is clear. Do not induce vomiting if the person is unconscious.

If inhaled: Remove to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin: Remove contaminated clothing and wash immediately with soap and water. Call a physician if symptoms persist or recur.

If in eyes: Flush eyes for at least 15 minutes with plenty of water. Call a physician immediately.

NOTE TO THE PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at 10 minute intervals in doses of 1 to 2 mg, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed as determined by blood test.


STORAGE AND DISPOSAL

- 1. PROHIBITIONS** — Do not contaminate water, food, feed or water by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL** — Pesticide spray mixture residue that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State or Local disposal authorities.
- 3. CONTAINER DISPOSAL** — Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.
- 4. GENERAL** — Consult Federal, State or Local disposal authorities for approved alternative procedures.

INSTRUCTIONS FOR FORMULATION: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products.

4-80



Manufactured by
prentiss Plant: 338 Wilson Avenue
Newark, N.J. 07105
Drug & Chemical Co., Inc. Office: 363 7th Avenue
New York, N.Y. 10001