

DRP

16 JUL 1984

345 / 129443
17 / 3

Mr. Nick Sanchez
Prentiss Drug & Chemical Co., Inc.
C.B. 2000
Floral Park, NY 11001

Dear Mr. Sanchez:

Subject: Amendment - Update Label
Prentox 50% DDVP Oil Soluble Concentrate
EPA Registration No. 655-294
Your Application Dated June 22, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:LaRocca:DCR-04500:WANG-0128K:eg:Raven:479-2013:7/2/84

BEST AVAILABLE COPY

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

BEST AVAILABLE COPY

prentox[®]

50% DDVP OIL SOLUBLE CONCENTRATE

An insecticide for formulating use only

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl Dimethyl Phosphate	48.8%
Related Compounds	3.5%
Xylene Range Aromatic Solvent	50.0%
TOTAL	100.0%

PRENTOX[®]—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. If possible, vomiting should be induced under medical supervision. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated. If on skin — Remove contaminated clothing and wash affected areas with soap and water. If in eyes — Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN: WARNING SYMPTOMS:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE TO FORMULATORS

Formulators who use this product are responsible for providing data to support Registration. For further information on the properties of this product, see our Product Information Sheet.

Certain organo-phosphate insecticides have been shown to cause staining and color changes of carpet dyed with certain sensitive carpet dyes. Products made from this concentrate should carry warnings to prevent contact with carpeting by spray, spray mist, or drift.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 16 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1055-294



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaelin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

STORAGE

Do not contaminate disposal. Open disposal. STORAGE: If repositioning the pesticide and water liquids, wear protective contact with the area with general as clay, diatomaceous contaminated at sweepings into below. Do not store flame.

PESTICIDE DISPOSAL
Improper disposal, rinsate is a violation. be disposed of by contact your State Agency, or the nearest EPA Regional Office. **CONTAINER DISPOSAL**
Then offer for recycling and dispose of in approved by State

E.P.A. REG. NO. 655-294

NET CONTENTS _____

LOT NO. _____