

655-310

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1/3

03/16/1990

16 MAR 1990

300
17
200,410
1

Prentiss
Drug and Chemical Co., Inc.
C.B. 2000
Floral Park, N.Y. 11001

Gentlemen

Subject: Prentox Malathion 95% Technical Premium
Reg. No. 655-310
Your Letter Dated December 21, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Delete uses on mushrooms, hops, and lentils from your list of agricultural crops and sites, as your source of supply Fyfanon Technical (EPA Registration No. 4787-5) is not registered for these sites.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure: 1. Recently accepted label of Fyfanon Technical (EPA Reg. #4787-5).

57787:I:A-27:Cromwell:M-7:KENC0:3/15/90:4/15/90:dg:sw:dd:dg
CONCURRENCES

SYMBOL							
SURNAME							
DATE							

prentox

MALATHION 95% TECHNICAL PREMIUM

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing and avoid contact with skin. Wash thoroughly after handling. Avoid contamination of food or foodstuffs.

NOTE TO PHYSICIAN — Malathion causes cholinesterase inhibition. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates and aquatic life stages of amphibians. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a National Pollution Discharge Elimination Systems (NPDES) permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or the Regional Office of EPA.

NOTE TO FORMULATORS

Certain organo-phosphate insecticides have been shown to cause staining and color changes of carpets dyed with certain sensitive dyes. Products made from this concentrate should carry warnings to prevent contact with carpeting by spray mist or drift.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is to be used only in the formulation of EPA registered insecticides. Formulators are responsible for submitting label to EPA.

An Insecticide and Miticide
For Formulating Use Only

ACTIVE INGREDIENT:

Malathion: 0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate 95%

INERT INGREDIENTS: 5%
TOTAL 100%

PRENTOX®—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Do not induce vomiting. Call a physician immediately.

If inhaled — Take person into fresh air.

If on skin — Wash thoroughly with plenty of soap and water.

If in eyes — Flush eyes with plenty of water. Get prompt medical attention.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-310

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

ACCEPTED
with COMMENTS
in EPA Letter Dated:

LOT NO. _____

MAR 16 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

655-310

Manufactured by



prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE

Formulators using this product are responsible for obtaining EPA registration for their formulated products.

For formulation into end-use insecticide products intended only for:

AGRICULTURAL CROPS:

~~Alfalfa, Avocado, Barley, Birdsfoot-Trefoil, Blueberry, Cherry, Clover, Field and Sweet Corn, Cottonseed, Cucumber, Currant, Endive, Garlic, Gooseberry, Grapes, Grapefruit, Kumquat, Leeks, Lemons, Limes, Lespedeza, Head and Leaf Lettuce, Lupine and Lupine Seed, Oats, Onions, Orange, Pepper, White Potatoes, Raisins, Rice, Wild Rice, Rye, Sorghum, Squash, Strawberry, Tangerine, Tomatoes, Vetch and Wheat.~~

Please see attached sheet

(B)

For formulation into end-use insecticide products intended only for use on:

AGRICULTURAL CROPS AND SITES: Alfalfa, Almonds, Anise, Apples, Apricots, Asparagus, Avocado, Barley, Beans (lima, green, snap, Navy, red kidney, wax, dry, blackeye), Beets, Blackberry, Blueberries, Boysenberry, Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Celery, Cherries, Citrus (Grapefruit, Kumquat, Lemon, Lime, Orange, Tangerine, Tangelo), Clover, Collards, Corn, Cotton, Cucumbers, Currants, Dandelion, Dewberry, Eggplant, Endive, Figs, Filberts, Flax, Garlic, Gooseberries, Grapes, Grapevines (Overwintering on Nursery Stock Only), Grain Sorghum, Grasses (Pasture and Range Grass, Grass Hay), Hops, Horseradish, Kale, Kohlrabi, Leeks, Lentils, Lettuce, Loganberry, Macadamia Nuts, Melons (Cantaloupe, Casaba, Crenshaw, Honeydew Melons, Honey Balls, Muskmelons, Persian Melons and hybrids of these, Watermelons and their hybrids), Mushrooms, Mustards, Nectarines, Oats, Okra, Onions, Papaya, Parsley, Parsnip, Peaches, Peanuts, Pears, Peas, Pecans, Peppermint, Peppers, Pineapple, Plums and Prunes, Potatoes, Pumpkins, Quince, Radish, Raspberry, Rice, Rice - Grain Form (Louisiana, Texas), Rudabaga, Rye, Safflower, Shallots, Spearmint, Spinach, Soybeans, Squash, Strawberries, Sugar Beets, Sweet Corn, Sweet Potatoes, Swiss Chard, Tobacco, Tomatoes, Turnip, Walnuts, Watercress, Wheat, Vetch, Non-Agricultural Lands (Wastelands, Roadsides), Beef Cattle Feed Lots and Holding Pens.

IN GREENHOUSES: Cucumbers, Endive, Lettuce, Radish, Tomato, Watercress.

OTHER INDOOR AND OUTDOOR USES: Forest Insect Control, Mosquito Control in Populated and Rural Areas, Fly Control, Control of pests on Outdoor Ornamentals, Control of Insects on and around Cull Fruit and Vegetable Dumps, In and Around Wineries and Processing Plants, In and Around Plants Processing Dry Milk, Pest Control In and Around Food Handling Establishments, Control of Stored Product Pests In and Around Grain Storage Facilities and on Stored Grains and Peanuts.