


prentox[®]



PYRETHRUM 1%

A Pyrethrum Insecticide Intended for use by spraying or fogging against exposed stages of the Cigarette Beetle and Tobacco Moth.

ACTIVE INGREDIENTS:

Pyrethrine	1.00%
Petroleum Distillates	99.00%
TOTAL	100.0%

PRENTOX[®] -- Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-322

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT NO. _____

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd.)

For the **CIGARETTE BEETLE**, apply as a fog, or use at the rate of 1 gallon to 40,000 cubic feet of space.

For the **TOBACCOMOTH**, apply as a fog, or use at the rate of 1 gallon to 200,000 cubic feet of space. For best results, it is important to achieve a uniform distribution of the fog, or use throughout the Warehouse. Better control of the **CIGARETTE BEETLE** will be achieved, if application is made between the hours of 5:00 P.M. and midnight. Apply as frequently as necessary.

11/83

655-322