

prentox[®]

DDVP AEROSOL CONCENTRATE

BEST DOCUMENT AVAILABLE

An Insecticide Concentrate for
Formulating Use Only

ACTIVE INGREDIENTS:	
2,2-dichlorovinyl dimethyl phosphinate	31.00%
Related Compounds	2.30%
1,1,1-trichloroethane	66.70%
TOTAL:	100.00%

PRENTOX[®] - Registered Trademark of Prentiss Drug & Chemical Co., Inc.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE TO FORMULATORS

Formulators who use this product are responsible for providing data to support Registration. For further information on the properties of this product, see our Product Information Sheet.

KEEP OUT OF REACH OF CHILDREN



POISON DANGER



STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If inhaled - Remove person to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note to Physician - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.


SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 655-340

EPA EST. NO. 655-GA-1

NET CONTENTS

LOT NO.



9/84



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001