

FRONT PANEL

PRENTOX
MOSQUITO FOG
CONCENTRATE



ONLY FOR SALE TO, USE AND STORAGE BY
MOSQUITO ABATEMENT DISTRICTS, PUBLIC
HEALTH OFFICIALS, PUBLIC MOSQUITO
CONTROL OFFICIALS, & COMMERCIAL
PEST CONTROL OPERATORS.

Contains BAYTEX(R)

ACTIVE INGREDIENTS:	
Fenthion (0,0-(4-(methylthio)-m-tolyl) Phosphorothioate)*.....	10.00%
Xylene Range Aromatic Solvent.....	89.24%
INERT INGREDIENTS:	0.76%
TOTAL	100.00%

*U.S. Patent No. 3,042,703 - Canadian Patent No. 631,472
BAYTEX(R) is a Registered Trademark of Farbenfabriken
Bayer, A G., Chemagro Corp. Licensee.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or poison control center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in the back of throat. Repeat until vomit fluid is clear. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. NOTE TO PHYSICIAN: ANTIDOTE - If symptoms of cholinesterase inhibition are present, administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.
IF ON SKIN - Wash with soap and warm water.
IF IN EYES - Flush with plenty of water and see a physician immediately.
IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

655-344

2

FRONT PANEL

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 655-344
EPA EST. No. 655-GA-1

Net Contents _____ Gallons

Lot No. _____



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, NY 11001

LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Maybe fatal if swallowed, inhaled or absorbed through the skin. It is rapidly absorbed through skin. Wash thoroughly with soap and water after handling. Wash clothing with soap and hot water before re-use. Avoid contact with skin, eyes and clothing. Avoid breathing fumes or mist. Avoid contamination of food and foodstuffs. Do not allow spray treatment or drift on pastureland, cropland, poultry ranges or water supplies. Do not use inside homes, in dairy barns, poultry houses or in buildings where food is processed. Do not apply directly to animals. Do not use on crops used for food, forage or pasture.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Shrimp and crab may be killed at application rates stated on this label. Do not apply where these are important. Do not apply directly to lakes, streams, or ponds. Use only in intermittently flooded areas, standing water, temporary rain pools, and log ponds when used for mosquito control only. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of activity.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT use, pour, spill or store near heat or open flame.

~~STORAGE AND DISPOSAL~~

~~Do not contaminate water, food or feed by storage or disposal.~~

C.55-344

4

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Open dumping is prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Mark the container with name of product, ingredient statement, precautionary statements, and signal work. Contact us for replacement label. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

TABLE

LEFT PANEL

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

This product is recommended for URBAN, RURAL OUTDOOR AREAS (PUBLIC HEALTH). It provides long residual control.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

655-344

RIGHT PANEL

DIRECTIONS FOR USE (CONT'D)

PRENTOX MOSQUITO FOG CONCENTRATE

RECOMMENDED APPLICATIONS

INSECT	Fluid Ounces BAYTEX 4	REMARKS
Mosquito larvae	6 3/4 ozs	SPRAY: Apply specified dosage (0.05lb active) per acre in sufficient oil* to obtain uniform coverage, or per 1 1/2 gallons of oil* for localized applications. Apply as a light uniform spray. Allow at least 3 weeks between applications.
Mosquitoes	6 3/4-11 1/2 ozs	THERMAL FOG: Mix specified dosage per gallon of oil*. This is equivalent to 4 1/2 to 9 gallons of spray concentrate per 100 gallons of oil. Apply with standard fogging machines calibrated to deliver 40 gallons per hour at a machine speed of 5 mph to cover a swath width of up to 350 feet. Repeat as necessary.
Mosquitoes adults	6 3/4-11 1/2 ozs	NON-THERMAL AEROSOL: Mix specified dosage per gallon of oil.* This is equivalent to 4 1/2 to 9 gallons of Prentox Mosquito Fog Concentrate per 100 gallons. Apply with a non-thermal aerosol generator calibrated to deliver 40 gallons per hour at a machine speed of 5 mph to cover a swath width of up to 350 feet. Repeat as necessary.
Mosquitoes	6 3/4 ozs-13 1/2 ozs	MIST SPRAY: Apply specified dosage (0.05 to 0.1 lb active) per acre. For mist blower machines calibrated to deliver 100 gallons per hour traveling at a speed of 4 mph to cover a swath width of up to 350 feet. Use 9 gallons 9 ozs to 19 gallons 2 ozs of spray concentrate per 100 gallons of oil* and apply 1 gallon of this mixture per acre. Allow at least 3 weeks between applications.
Mosquitoes	(See Remarks)	AIRCRAFT APPLICATION: Use Prentox Mosquito Fog Concentrate at dosages of 0.05 to 0.1 lb active ingredient per acre in oil.* Mix 5 5/8 to 11 1/2 gallons of spray concentrate in 100 gallons of oil* and apply 1 gallon of this mixture per acre. Allow at least 3 weeks between applications.

*kerosene-type oils, fuel oils, diesel oils and other base oils suitable for insecticide use.

622 344 7

RIGHT PANEL

Area mosquito applications to populated and rural areas are to be made only by mosquito abatement districts, public health officials, public mosquito control officials, and commercial pest control operators. Helicopter applications made or supervised by a pest control operator must be made only under the qualified authority. Consult your state fish and game agency before applying this product.

Mosquito control.

Prentox Mosquito Fog Concentrate is recommended for mosquito control as recommended on this label.

Prentox Mosquito Fog Concentrate provides long residual control and is effective against both non-resistant strains, as well as those resistant to certain chlorinated hydrocarbons. The spray can be applied to most surfaces, including freshly whitewashed areas, without loss of biological effectiveness.

MIXING: Forms a solution when diluted with oil carriers such as kerosene type oils, fuel oils, diesel oils and other base oils suitable for insecticide use. The resulting mixture is suitable for use in hand or power-operated sprayers or thermal foggers as well as with aircraft sprayers or air mist-type applicators. To mix with water or oil, pour required amount into full amount and then agitate.

If a mixture of oil is to be held in storage, it is necessary to add an anti-sludge agent to the mixture. Request information from your dealer on the type and amount of anti-sludge agent to use.

DOSAGE: Use specified dosage in the amount of oil necessary to give uniform coverage. The type of equipment used will determine the concentration required.

SPRAYING: For mosquito larvae control, applications should be made to moist areas, standing water pools, intermittently flooded areas, temporary rain pools, and log pods. Also spray around and in catch basins, and similar areas where mosquitoes breed. Do not apply to ponds, lakes, streams, or other bodies of water containing fish. Allow at least three weeks between applications.

For large area mosquito control, applications should be made to wet grassy, bushy or woody areas.

For localized adult mosquito control, applications should be made to surfaces of buildings, screen doors, window frames, and around outdoor light fixtures.